



wwPDB EM Validation Summary Report ⓘ

Jun 10, 2026 – 01:59 pm BST

PDB ID : 30GA / pdb_000030ga
EMDB ID : EMD-57736
Title : Cryo-EM structure of the PseCascade-TniQ-TnsC-TnsAB holocomplex
Authors : Finocchio, G.; Oberli, S.; Schmitz, M.; Jinek, M.
Deposited on : 2026-04-23
Resolution : 3.20 Å(reported)
Based on initial model : ?

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	15020 (2.70 - 3.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	93	
2	2	145	
2	5	145	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	3	90	
3	7	90	
4	4	54	
4	6	54	
5	A	350	
5	B	350	
5	C	350	
5	D	350	
5	E	350	
5	F	350	
6	G	695	
7	H	237	
8	I	432	
8	J	432	
9	K	333	
9	L	333	
9	M	333	
9	N	333	
9	O	333	
9	P	333	
9	Q	333	
10	R	1258	
10	S	1258	
10	T	1258	
10	U	1258	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	V	1258	<div><div></div>99%</div>
10	W	1258	<div><div></div>99%</div>
10	X	1258	<div><div></div>99%</div>
10	a	1258	<div><div><div></div><div></div><div></div></div><div>51%12%•37%</div></div>
10	b	1258	<div><div><div></div><div></div><div></div></div><div>5%47%15%•37%</div></div>
10	c	1258	<div><div><div></div><div></div><div></div></div><div>19%7%73%</div></div>
10	d	1258	<div><div><div></div><div></div><div></div></div><div>21%6%73%</div></div>

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 74403 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called CRISPR RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	60	Total	C	N	O	P	0	0
			1291	577	243	412	59		

- Molecule 2 is a DNA chain called TS_RE-transferred.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	2	114	Total	C	N	O	P	0	0
			2307	1098	408	688	113		
2	5	44	Total	C	N	O	P	0	0
			901	427	172	259	43		

- Molecule 3 is a DNA chain called Non-target DNA strand.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	3	57	Total	C	N	O	P	0	1
			1115	530	209	322	54		
3	7	13	Total	C	N	O	P	0	0
			258	123	47	76	12		

- Molecule 4 is a DNA chain called RE_non-trasferred.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	4	30	Total	C	N	O	P	0	1
			592	284	100	179	29		
4	6	30	Total	C	N	O	P	0	1
			592	284	100	179	29		

- Molecule 5 is a protein called Cas7.1.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	A	321	Total	C	N	O	S	0	0
			2580	1649	429	490	12		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
5	B	346	Total	C	N	O	S	0	0
			2777	1774	462	529	12		
5	C	346	Total	C	N	O	S	0	0
			2777	1774	462	529	12		
5	D	346	Total	C	N	O	S	0	0
			2777	1774	462	529	12		
5	E	346	Total	C	N	O	S	0	0
			2777	1774	462	529	12		
5	F	344	Total	C	N	O	S	0	0
			2763	1766	460	525	12		

- Molecule 6 is a protein called Cas8.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	G	684	Total	C	N	O	S	0	0
			5489	3525	945	994	25		

- Molecule 7 is a protein called Cas6.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	H	198	Total	C	N	O	S	0	0
			1599	1019	278	293	9		

There are 34 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
H	204	SER	-	expression tag	UNP A0ABF7PQC0
H	205	ALA	-	expression tag	UNP A0ABF7PQC0
H	206	TRP	-	expression tag	UNP A0ABF7PQC0
H	207	SER	-	expression tag	UNP A0ABF7PQC0
H	208	HIS	-	expression tag	UNP A0ABF7PQC0
H	209	PRO	-	expression tag	UNP A0ABF7PQC0
H	210	GLN	-	expression tag	UNP A0ABF7PQC0
H	211	PHE	-	expression tag	UNP A0ABF7PQC0
H	212	GLU	-	expression tag	UNP A0ABF7PQC0
H	213	LYS	-	expression tag	UNP A0ABF7PQC0
H	214	GLY	-	expression tag	UNP A0ABF7PQC0
H	215	GLY	-	expression tag	UNP A0ABF7PQC0
H	216	GLY	-	expression tag	UNP A0ABF7PQC0
H	217	SER	-	expression tag	UNP A0ABF7PQC0
H	218	GLY	-	expression tag	UNP A0ABF7PQC0
H	219	GLY	-	expression tag	UNP A0ABF7PQC0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	220	GLY	-	expression tag	UNP A0ABF7PQC0
H	221	SER	-	expression tag	UNP A0ABF7PQC0
H	222	GLY	-	expression tag	UNP A0ABF7PQC0
H	223	GLY	-	expression tag	UNP A0ABF7PQC0
H	224	SER	-	expression tag	UNP A0ABF7PQC0
H	225	ALA	-	expression tag	UNP A0ABF7PQC0
H	226	TRP	-	expression tag	UNP A0ABF7PQC0
H	227	SER	-	expression tag	UNP A0ABF7PQC0
H	228	HIS	-	expression tag	UNP A0ABF7PQC0
H	229	PRO	-	expression tag	UNP A0ABF7PQC0
H	230	GLN	-	expression tag	UNP A0ABF7PQC0
H	231	PHE	-	expression tag	UNP A0ABF7PQC0
H	232	GLU	-	expression tag	UNP A0ABF7PQC0
H	233	LYS	-	expression tag	UNP A0ABF7PQC0
H	234	SER	-	expression tag	UNP A0ABF7PQC0
H	235	GLY	-	expression tag	UNP A0ABF7PQC0
H	236	GLY	-	expression tag	UNP A0ABF7PQC0
H	237	GLY	-	expression tag	UNP A0ABF7PQC0

- Molecule 8 is a protein called TniQ.1.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	I	408	Total	C	N	O	S	0	0
			3311	2120	561	614	16		
8	J	404	Total	C	N	O	S	0	0
			3271	2094	556	604	17		

There are 46 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	-22	MET	-	initiating methionine	UNP A0ABF7PQC1
I	-21	GLY	-	expression tag	UNP A0ABF7PQC1
I	-20	HIS	-	expression tag	UNP A0ABF7PQC1
I	-19	HIS	-	expression tag	UNP A0ABF7PQC1
I	-18	HIS	-	expression tag	UNP A0ABF7PQC1
I	-17	HIS	-	expression tag	UNP A0ABF7PQC1
I	-16	HIS	-	expression tag	UNP A0ABF7PQC1
I	-15	HIS	-	expression tag	UNP A0ABF7PQC1
I	-14	HIS	-	expression tag	UNP A0ABF7PQC1
I	-13	HIS	-	expression tag	UNP A0ABF7PQC1
I	-12	HIS	-	expression tag	UNP A0ABF7PQC1
I	-11	HIS	-	expression tag	UNP A0ABF7PQC1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
I	-10	GLY	-	expression tag	UNP A0ABF7PQC1
I	-9	GLY	-	expression tag	UNP A0ABF7PQC1
I	-8	SER	-	expression tag	UNP A0ABF7PQC1
I	-7	GLU	-	expression tag	UNP A0ABF7PQC1
I	-6	ASN	-	expression tag	UNP A0ABF7PQC1
I	-5	LEU	-	expression tag	UNP A0ABF7PQC1
I	-4	TYR	-	expression tag	UNP A0ABF7PQC1
I	-3	PHE	-	expression tag	UNP A0ABF7PQC1
I	-2	GLN	-	expression tag	UNP A0ABF7PQC1
I	-1	SER	-	expression tag	UNP A0ABF7PQC1
I	0	GLY	-	expression tag	UNP A0ABF7PQC1
J	-22	MET	-	initiating methionine	UNP A0ABF7PQC1
J	-21	GLY	-	expression tag	UNP A0ABF7PQC1
J	-20	HIS	-	expression tag	UNP A0ABF7PQC1
J	-19	HIS	-	expression tag	UNP A0ABF7PQC1
J	-18	HIS	-	expression tag	UNP A0ABF7PQC1
J	-17	HIS	-	expression tag	UNP A0ABF7PQC1
J	-16	HIS	-	expression tag	UNP A0ABF7PQC1
J	-15	HIS	-	expression tag	UNP A0ABF7PQC1
J	-14	HIS	-	expression tag	UNP A0ABF7PQC1
J	-13	HIS	-	expression tag	UNP A0ABF7PQC1
J	-12	HIS	-	expression tag	UNP A0ABF7PQC1
J	-11	HIS	-	expression tag	UNP A0ABF7PQC1
J	-10	GLY	-	expression tag	UNP A0ABF7PQC1
J	-9	GLY	-	expression tag	UNP A0ABF7PQC1
J	-8	SER	-	expression tag	UNP A0ABF7PQC1
J	-7	GLU	-	expression tag	UNP A0ABF7PQC1
J	-6	ASN	-	expression tag	UNP A0ABF7PQC1
J	-5	LEU	-	expression tag	UNP A0ABF7PQC1
J	-4	TYR	-	expression tag	UNP A0ABF7PQC1
J	-3	PHE	-	expression tag	UNP A0ABF7PQC1
J	-2	GLN	-	expression tag	UNP A0ABF7PQC1
J	-1	SER	-	expression tag	UNP A0ABF7PQC1
J	0	GLY	-	expression tag	UNP A0ABF7PQC1

- Molecule 9 is a protein called AAA+ ATPase domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	K	327	Total	C	N	O	S	0	0
			2658	1704	455	486	13		
9	L	313	Total	C	N	O	S	0	0
			2545	1631	434	467	13		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
9	M	311	Total	C	N	O	S	0	0
			2529	1622	432	463	12		
9	N	313	Total	C	N	O	S	0	0
			2547	1635	435	465	12		
9	O	319	Total	C	N	O	S	0	0
			2592	1664	443	473	12		
9	P	314	Total	C	N	O	S	0	0
			2559	1644	436	467	12		
9	Q	319	Total	C	N	O	S	0	0
			2598	1669	445	472	12		

There are 161 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	11	LYS	GLN	conflict	UNP A0A290S0Z4
K	27	THR	ALA	conflict	UNP A0A290S0Z4
K	47	CYS	GLY	conflict	UNP A0A290S0Z4
K	84	VAL	ILE	conflict	UNP A0A290S0Z4
K	98	VAL	ILE	conflict	UNP A0A290S0Z4
K	112	ILE	MET	conflict	UNP A0A290S0Z4
K	120	ASP	GLU	conflict	UNP A0A290S0Z4
K	219	ALA	VAL	conflict	UNP A0A290S0Z4
K	221	LYS	GLN	conflict	UNP A0A290S0Z4
K	226	VAL	GLU	conflict	UNP A0A290S0Z4
K	234	ASN	HIS	conflict	UNP A0A290S0Z4
K	237	ILE	MET	conflict	UNP A0A290S0Z4
K	255	LEU	MET	conflict	UNP A0A290S0Z4
K	275	THR	ALA	conflict	UNP A0A290S0Z4
K	276	ALA	VAL	conflict	UNP A0A290S0Z4
K	278	ASP	GLU	conflict	UNP A0A290S0Z4
K	287	GLU	ASP	conflict	UNP A0A290S0Z4
K	288	LYS	SER	conflict	UNP A0A290S0Z4
K	291	SER	LEU	conflict	UNP A0A290S0Z4
K	303	GLU	ILE	conflict	UNP A0A290S0Z4
K	308	ILE	THR	conflict	UNP A0A290S0Z4
K	326	ASP	GLY	conflict	UNP A0A290S0Z4
K	328	VAL	LYS	conflict	UNP A0A290S0Z4
L	11	LYS	GLN	conflict	UNP A0A290S0Z4
L	27	THR	ALA	conflict	UNP A0A290S0Z4
L	47	CYS	GLY	conflict	UNP A0A290S0Z4
L	84	VAL	ILE	conflict	UNP A0A290S0Z4
L	98	VAL	ILE	conflict	UNP A0A290S0Z4
L	112	ILE	MET	conflict	UNP A0A290S0Z4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
L	120	ASP	GLU	conflict	UNP A0A290S0Z4
L	219	ALA	VAL	conflict	UNP A0A290S0Z4
L	221	LYS	GLN	conflict	UNP A0A290S0Z4
L	226	VAL	GLU	conflict	UNP A0A290S0Z4
L	234	ASN	HIS	conflict	UNP A0A290S0Z4
L	237	ILE	MET	conflict	UNP A0A290S0Z4
L	255	LEU	MET	conflict	UNP A0A290S0Z4
L	275	THR	ALA	conflict	UNP A0A290S0Z4
L	276	ALA	VAL	conflict	UNP A0A290S0Z4
L	278	ASP	GLU	conflict	UNP A0A290S0Z4
L	287	GLU	ASP	conflict	UNP A0A290S0Z4
L	288	LYS	SER	conflict	UNP A0A290S0Z4
L	291	SER	LEU	conflict	UNP A0A290S0Z4
L	303	GLU	ILE	conflict	UNP A0A290S0Z4
L	308	ILE	THR	conflict	UNP A0A290S0Z4
L	326	ASP	GLY	conflict	UNP A0A290S0Z4
L	328	VAL	LYS	conflict	UNP A0A290S0Z4
M	11	LYS	GLN	conflict	UNP A0A290S0Z4
M	27	THR	ALA	conflict	UNP A0A290S0Z4
M	47	CYS	GLY	conflict	UNP A0A290S0Z4
M	84	VAL	ILE	conflict	UNP A0A290S0Z4
M	98	VAL	ILE	conflict	UNP A0A290S0Z4
M	112	ILE	MET	conflict	UNP A0A290S0Z4
M	120	ASP	GLU	conflict	UNP A0A290S0Z4
M	219	ALA	VAL	conflict	UNP A0A290S0Z4
M	221	LYS	GLN	conflict	UNP A0A290S0Z4
M	226	VAL	GLU	conflict	UNP A0A290S0Z4
M	234	ASN	HIS	conflict	UNP A0A290S0Z4
M	237	ILE	MET	conflict	UNP A0A290S0Z4
M	255	LEU	MET	conflict	UNP A0A290S0Z4
M	275	THR	ALA	conflict	UNP A0A290S0Z4
M	276	ALA	VAL	conflict	UNP A0A290S0Z4
M	278	ASP	GLU	conflict	UNP A0A290S0Z4
M	287	GLU	ASP	conflict	UNP A0A290S0Z4
M	288	LYS	SER	conflict	UNP A0A290S0Z4
M	291	SER	LEU	conflict	UNP A0A290S0Z4
M	303	GLU	ILE	conflict	UNP A0A290S0Z4
M	308	ILE	THR	conflict	UNP A0A290S0Z4
M	326	ASP	GLY	conflict	UNP A0A290S0Z4
M	328	VAL	LYS	conflict	UNP A0A290S0Z4
N	11	LYS	GLN	conflict	UNP A0A290S0Z4
N	27	THR	ALA	conflict	UNP A0A290S0Z4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
N	47	CYS	GLY	conflict	UNP A0A290S0Z4
N	84	VAL	ILE	conflict	UNP A0A290S0Z4
N	98	VAL	ILE	conflict	UNP A0A290S0Z4
N	112	ILE	MET	conflict	UNP A0A290S0Z4
N	120	ASP	GLU	conflict	UNP A0A290S0Z4
N	219	ALA	VAL	conflict	UNP A0A290S0Z4
N	221	LYS	GLN	conflict	UNP A0A290S0Z4
N	226	VAL	GLU	conflict	UNP A0A290S0Z4
N	234	ASN	HIS	conflict	UNP A0A290S0Z4
N	237	ILE	MET	conflict	UNP A0A290S0Z4
N	255	LEU	MET	conflict	UNP A0A290S0Z4
N	275	THR	ALA	conflict	UNP A0A290S0Z4
N	276	ALA	VAL	conflict	UNP A0A290S0Z4
N	278	ASP	GLU	conflict	UNP A0A290S0Z4
N	287	GLU	ASP	conflict	UNP A0A290S0Z4
N	288	LYS	SER	conflict	UNP A0A290S0Z4
N	291	SER	LEU	conflict	UNP A0A290S0Z4
N	303	GLU	ILE	conflict	UNP A0A290S0Z4
N	308	ILE	THR	conflict	UNP A0A290S0Z4
N	326	ASP	GLY	conflict	UNP A0A290S0Z4
N	328	VAL	LYS	conflict	UNP A0A290S0Z4
O	11	LYS	GLN	conflict	UNP A0A290S0Z4
O	27	THR	ALA	conflict	UNP A0A290S0Z4
O	47	CYS	GLY	conflict	UNP A0A290S0Z4
O	84	VAL	ILE	conflict	UNP A0A290S0Z4
O	98	VAL	ILE	conflict	UNP A0A290S0Z4
O	112	ILE	MET	conflict	UNP A0A290S0Z4
O	120	ASP	GLU	conflict	UNP A0A290S0Z4
O	219	ALA	VAL	conflict	UNP A0A290S0Z4
O	221	LYS	GLN	conflict	UNP A0A290S0Z4
O	226	VAL	GLU	conflict	UNP A0A290S0Z4
O	234	ASN	HIS	conflict	UNP A0A290S0Z4
O	237	ILE	MET	conflict	UNP A0A290S0Z4
O	255	LEU	MET	conflict	UNP A0A290S0Z4
O	275	THR	ALA	conflict	UNP A0A290S0Z4
O	276	ALA	VAL	conflict	UNP A0A290S0Z4
O	278	ASP	GLU	conflict	UNP A0A290S0Z4
O	287	GLU	ASP	conflict	UNP A0A290S0Z4
O	288	LYS	SER	conflict	UNP A0A290S0Z4
O	291	SER	LEU	conflict	UNP A0A290S0Z4
O	303	GLU	ILE	conflict	UNP A0A290S0Z4
O	308	ILE	THR	conflict	UNP A0A290S0Z4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
O	326	ASP	GLY	conflict	UNP A0A290S0Z4
O	328	VAL	LYS	conflict	UNP A0A290S0Z4
P	11	LYS	GLN	conflict	UNP A0A290S0Z4
P	27	THR	ALA	conflict	UNP A0A290S0Z4
P	47	CYS	GLY	conflict	UNP A0A290S0Z4
P	84	VAL	ILE	conflict	UNP A0A290S0Z4
P	98	VAL	ILE	conflict	UNP A0A290S0Z4
P	112	ILE	MET	conflict	UNP A0A290S0Z4
P	120	ASP	GLU	conflict	UNP A0A290S0Z4
P	219	ALA	VAL	conflict	UNP A0A290S0Z4
P	221	LYS	GLN	conflict	UNP A0A290S0Z4
P	226	VAL	GLU	conflict	UNP A0A290S0Z4
P	234	ASN	HIS	conflict	UNP A0A290S0Z4
P	237	ILE	MET	conflict	UNP A0A290S0Z4
P	255	LEU	MET	conflict	UNP A0A290S0Z4
P	275	THR	ALA	conflict	UNP A0A290S0Z4
P	276	ALA	VAL	conflict	UNP A0A290S0Z4
P	278	ASP	GLU	conflict	UNP A0A290S0Z4
P	287	GLU	ASP	conflict	UNP A0A290S0Z4
P	288	LYS	SER	conflict	UNP A0A290S0Z4
P	291	SER	LEU	conflict	UNP A0A290S0Z4
P	303	GLU	ILE	conflict	UNP A0A290S0Z4
P	308	ILE	THR	conflict	UNP A0A290S0Z4
P	326	ASP	GLY	conflict	UNP A0A290S0Z4
P	328	VAL	LYS	conflict	UNP A0A290S0Z4
Q	11	LYS	GLN	conflict	UNP A0A290S0Z4
Q	27	THR	ALA	conflict	UNP A0A290S0Z4
Q	47	CYS	GLY	conflict	UNP A0A290S0Z4
Q	84	VAL	ILE	conflict	UNP A0A290S0Z4
Q	98	VAL	ILE	conflict	UNP A0A290S0Z4
Q	112	ILE	MET	conflict	UNP A0A290S0Z4
Q	120	ASP	GLU	conflict	UNP A0A290S0Z4
Q	219	ALA	VAL	conflict	UNP A0A290S0Z4
Q	221	LYS	GLN	conflict	UNP A0A290S0Z4
Q	226	VAL	GLU	conflict	UNP A0A290S0Z4
Q	234	ASN	HIS	conflict	UNP A0A290S0Z4
Q	237	ILE	MET	conflict	UNP A0A290S0Z4
Q	255	LEU	MET	conflict	UNP A0A290S0Z4
Q	275	THR	ALA	conflict	UNP A0A290S0Z4
Q	276	ALA	VAL	conflict	UNP A0A290S0Z4
Q	278	ASP	GLU	conflict	UNP A0A290S0Z4
Q	287	GLU	ASP	conflict	UNP A0A290S0Z4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Q	288	LYS	SER	conflict	UNP A0A290S0Z4
Q	291	SER	LEU	conflict	UNP A0A290S0Z4
Q	303	GLU	ILE	conflict	UNP A0A290S0Z4
Q	308	ILE	THR	conflict	UNP A0A290S0Z4
Q	326	ASP	GLY	conflict	UNP A0A290S0Z4
Q	328	VAL	LYS	conflict	UNP A0A290S0Z4

- Molecule 10 is a protein called Maltose/maltodextrin-binding periplasmic protein,TnsA endonuclease N-terminal domain-containing protein,TnsB transposase.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	R	9	Total	C	N	O		0	0
			80	51	10	19			
10	S	9	Total	C	N	O		0	0
			80	51	10	19			
10	T	9	Total	C	N	O		0	0
			80	51	10	19			
10	U	9	Total	C	N	O		0	0
			80	51	10	19			
10	V	9	Total	C	N	O		0	0
			80	51	10	19			
10	W	9	Total	C	N	O		0	0
			80	51	10	19			
10	X	9	Total	C	N	O		0	0
			80	51	10	19			
10	a	790	Total	C	N	O	S	0	0
			6429	4132	1090	1186	21		
10	b	790	Total	C	N	O	S	0	0
			6429	4132	1090	1186	21		
10	c	336	Total	C	N	O	S	0	0
			2775	1786	460	518	11		
10	d	336	Total	C	N	O	S	0	0
			2775	1786	460	518	11		

There are 451 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	-406	MET	-	initiating methionine	UNP P0AEX9
R	-405	GLY	-	expression tag	UNP P0AEX9
R	-404	SER	-	expression tag	UNP P0AEX9
R	-403	SER	-	expression tag	UNP P0AEX9
R	-402	HIS	-	expression tag	UNP P0AEX9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	-401	HIS	-	expression tag	UNP P0AEX9
R	-400	HIS	-	expression tag	UNP P0AEX9
R	-399	HIS	-	expression tag	UNP P0AEX9
R	-398	HIS	-	expression tag	UNP P0AEX9
R	-397	HIS	-	expression tag	UNP P0AEX9
R	-396	GLY	-	expression tag	UNP P0AEX9
R	-395	SER	-	expression tag	UNP P0AEX9
R	-394	SER	-	expression tag	UNP P0AEX9
R	-393	MET	-	expression tag	UNP P0AEX9
R	-26	ASN	-	linker	UNP P0AEX9
R	-25	SER	-	linker	UNP P0AEX9
R	-24	SER	-	linker	UNP P0AEX9
R	-23	SER	-	linker	UNP P0AEX9
R	-22	ASN	-	linker	UNP P0AEX9
R	-21	ASN	-	linker	UNP P0AEX9
R	-20	ASN	-	linker	UNP P0AEX9
R	-19	ASN	-	linker	UNP P0AEX9
R	-18	ASN	-	linker	UNP P0AEX9
R	-17	ASN	-	linker	UNP P0AEX9
R	-16	ASN	-	linker	UNP P0AEX9
R	-15	ASN	-	linker	UNP P0AEX9
R	-14	ASN	-	linker	UNP P0AEX9
R	-13	ASN	-	linker	UNP P0AEX9
R	-12	LEU	-	linker	UNP P0AEX9
R	-11	GLY	-	linker	UNP P0AEX9
R	-10	ILE	-	linker	UNP P0AEX9
R	-9	GLU	-	linker	UNP P0AEX9
R	-8	GLU	-	linker	UNP P0AEX9
R	-7	ASN	-	linker	UNP P0AEX9
R	-6	LEU	-	linker	UNP P0AEX9
R	-5	TYR	-	linker	UNP P0AEX9
R	-4	PHE	-	linker	UNP P0AEX9
R	-3	GLN	-	linker	UNP P0AEX9
R	-2	SER	-	linker	UNP P0AEX9
R	-1	ASN	-	linker	UNP P0AEX9
R	0	ALA	-	linker	UNP P0AEX9
S	-406	MET	-	initiating methionine	UNP P0AEX9
S	-405	GLY	-	expression tag	UNP P0AEX9
S	-404	SER	-	expression tag	UNP P0AEX9
S	-403	SER	-	expression tag	UNP P0AEX9
S	-402	HIS	-	expression tag	UNP P0AEX9
S	-401	HIS	-	expression tag	UNP P0AEX9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
S	-400	HIS	-	expression tag	UNP P0AEX9
S	-399	HIS	-	expression tag	UNP P0AEX9
S	-398	HIS	-	expression tag	UNP P0AEX9
S	-397	HIS	-	expression tag	UNP P0AEX9
S	-396	GLY	-	expression tag	UNP P0AEX9
S	-395	SER	-	expression tag	UNP P0AEX9
S	-394	SER	-	expression tag	UNP P0AEX9
S	-393	MET	-	expression tag	UNP P0AEX9
S	-26	ASN	-	linker	UNP P0AEX9
S	-25	SER	-	linker	UNP P0AEX9
S	-24	SER	-	linker	UNP P0AEX9
S	-23	SER	-	linker	UNP P0AEX9
S	-22	ASN	-	linker	UNP P0AEX9
S	-21	ASN	-	linker	UNP P0AEX9
S	-20	ASN	-	linker	UNP P0AEX9
S	-19	ASN	-	linker	UNP P0AEX9
S	-18	ASN	-	linker	UNP P0AEX9
S	-17	ASN	-	linker	UNP P0AEX9
S	-16	ASN	-	linker	UNP P0AEX9
S	-15	ASN	-	linker	UNP P0AEX9
S	-14	ASN	-	linker	UNP P0AEX9
S	-13	ASN	-	linker	UNP P0AEX9
S	-12	LEU	-	linker	UNP P0AEX9
S	-11	GLY	-	linker	UNP P0AEX9
S	-10	ILE	-	linker	UNP P0AEX9
S	-9	GLU	-	linker	UNP P0AEX9
S	-8	GLU	-	linker	UNP P0AEX9
S	-7	ASN	-	linker	UNP P0AEX9
S	-6	LEU	-	linker	UNP P0AEX9
S	-5	TYR	-	linker	UNP P0AEX9
S	-4	PHE	-	linker	UNP P0AEX9
S	-3	GLN	-	linker	UNP P0AEX9
S	-2	SER	-	linker	UNP P0AEX9
S	-1	ASN	-	linker	UNP P0AEX9
S	0	ALA	-	linker	UNP P0AEX9
T	-406	MET	-	initiating methionine	UNP P0AEX9
T	-405	GLY	-	expression tag	UNP P0AEX9
T	-404	SER	-	expression tag	UNP P0AEX9
T	-403	SER	-	expression tag	UNP P0AEX9
T	-402	HIS	-	expression tag	UNP P0AEX9
T	-401	HIS	-	expression tag	UNP P0AEX9
T	-400	HIS	-	expression tag	UNP P0AEX9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
T	-399	HIS	-	expression tag	UNP P0AEX9
T	-398	HIS	-	expression tag	UNP P0AEX9
T	-397	HIS	-	expression tag	UNP P0AEX9
T	-396	GLY	-	expression tag	UNP P0AEX9
T	-395	SER	-	expression tag	UNP P0AEX9
T	-394	SER	-	expression tag	UNP P0AEX9
T	-393	MET	-	expression tag	UNP P0AEX9
T	-26	ASN	-	linker	UNP P0AEX9
T	-25	SER	-	linker	UNP P0AEX9
T	-24	SER	-	linker	UNP P0AEX9
T	-23	SER	-	linker	UNP P0AEX9
T	-22	ASN	-	linker	UNP P0AEX9
T	-21	ASN	-	linker	UNP P0AEX9
T	-20	ASN	-	linker	UNP P0AEX9
T	-19	ASN	-	linker	UNP P0AEX9
T	-18	ASN	-	linker	UNP P0AEX9
T	-17	ASN	-	linker	UNP P0AEX9
T	-16	ASN	-	linker	UNP P0AEX9
T	-15	ASN	-	linker	UNP P0AEX9
T	-14	ASN	-	linker	UNP P0AEX9
T	-13	ASN	-	linker	UNP P0AEX9
T	-12	LEU	-	linker	UNP P0AEX9
T	-11	GLY	-	linker	UNP P0AEX9
T	-10	ILE	-	linker	UNP P0AEX9
T	-9	GLU	-	linker	UNP P0AEX9
T	-8	GLU	-	linker	UNP P0AEX9
T	-7	ASN	-	linker	UNP P0AEX9
T	-6	LEU	-	linker	UNP P0AEX9
T	-5	TYR	-	linker	UNP P0AEX9
T	-4	PHE	-	linker	UNP P0AEX9
T	-3	GLN	-	linker	UNP P0AEX9
T	-2	SER	-	linker	UNP P0AEX9
T	-1	ASN	-	linker	UNP P0AEX9
T	0	ALA	-	linker	UNP P0AEX9
U	-406	MET	-	initiating methionine	UNP P0AEX9
U	-405	GLY	-	expression tag	UNP P0AEX9
U	-404	SER	-	expression tag	UNP P0AEX9
U	-403	SER	-	expression tag	UNP P0AEX9
U	-402	HIS	-	expression tag	UNP P0AEX9
U	-401	HIS	-	expression tag	UNP P0AEX9
U	-400	HIS	-	expression tag	UNP P0AEX9
U	-399	HIS	-	expression tag	UNP P0AEX9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
U	-398	HIS	-	expression tag	UNP P0AEX9
U	-397	HIS	-	expression tag	UNP P0AEX9
U	-396	GLY	-	expression tag	UNP P0AEX9
U	-395	SER	-	expression tag	UNP P0AEX9
U	-394	SER	-	expression tag	UNP P0AEX9
U	-393	MET	-	expression tag	UNP P0AEX9
U	-26	ASN	-	linker	UNP P0AEX9
U	-25	SER	-	linker	UNP P0AEX9
U	-24	SER	-	linker	UNP P0AEX9
U	-23	SER	-	linker	UNP P0AEX9
U	-22	ASN	-	linker	UNP P0AEX9
U	-21	ASN	-	linker	UNP P0AEX9
U	-20	ASN	-	linker	UNP P0AEX9
U	-19	ASN	-	linker	UNP P0AEX9
U	-18	ASN	-	linker	UNP P0AEX9
U	-17	ASN	-	linker	UNP P0AEX9
U	-16	ASN	-	linker	UNP P0AEX9
U	-15	ASN	-	linker	UNP P0AEX9
U	-14	ASN	-	linker	UNP P0AEX9
U	-13	ASN	-	linker	UNP P0AEX9
U	-12	LEU	-	linker	UNP P0AEX9
U	-11	GLY	-	linker	UNP P0AEX9
U	-10	ILE	-	linker	UNP P0AEX9
U	-9	GLU	-	linker	UNP P0AEX9
U	-8	GLU	-	linker	UNP P0AEX9
U	-7	ASN	-	linker	UNP P0AEX9
U	-6	LEU	-	linker	UNP P0AEX9
U	-5	TYR	-	linker	UNP P0AEX9
U	-4	PHE	-	linker	UNP P0AEX9
U	-3	GLN	-	linker	UNP P0AEX9
U	-2	SER	-	linker	UNP P0AEX9
U	-1	ASN	-	linker	UNP P0AEX9
U	0	ALA	-	linker	UNP P0AEX9
V	-406	MET	-	initiating methionine	UNP P0AEX9
V	-405	GLY	-	expression tag	UNP P0AEX9
V	-404	SER	-	expression tag	UNP P0AEX9
V	-403	SER	-	expression tag	UNP P0AEX9
V	-402	HIS	-	expression tag	UNP P0AEX9
V	-401	HIS	-	expression tag	UNP P0AEX9
V	-400	HIS	-	expression tag	UNP P0AEX9
V	-399	HIS	-	expression tag	UNP P0AEX9
V	-398	HIS	-	expression tag	UNP P0AEX9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
V	-397	HIS	-	expression tag	UNP P0AEX9
V	-396	GLY	-	expression tag	UNP P0AEX9
V	-395	SER	-	expression tag	UNP P0AEX9
V	-394	SER	-	expression tag	UNP P0AEX9
V	-393	MET	-	expression tag	UNP P0AEX9
V	-26	ASN	-	linker	UNP P0AEX9
V	-25	SER	-	linker	UNP P0AEX9
V	-24	SER	-	linker	UNP P0AEX9
V	-23	SER	-	linker	UNP P0AEX9
V	-22	ASN	-	linker	UNP P0AEX9
V	-21	ASN	-	linker	UNP P0AEX9
V	-20	ASN	-	linker	UNP P0AEX9
V	-19	ASN	-	linker	UNP P0AEX9
V	-18	ASN	-	linker	UNP P0AEX9
V	-17	ASN	-	linker	UNP P0AEX9
V	-16	ASN	-	linker	UNP P0AEX9
V	-15	ASN	-	linker	UNP P0AEX9
V	-14	ASN	-	linker	UNP P0AEX9
V	-13	ASN	-	linker	UNP P0AEX9
V	-12	LEU	-	linker	UNP P0AEX9
V	-11	GLY	-	linker	UNP P0AEX9
V	-10	ILE	-	linker	UNP P0AEX9
V	-9	GLU	-	linker	UNP P0AEX9
V	-8	GLU	-	linker	UNP P0AEX9
V	-7	ASN	-	linker	UNP P0AEX9
V	-6	LEU	-	linker	UNP P0AEX9
V	-5	TYR	-	linker	UNP P0AEX9
V	-4	PHE	-	linker	UNP P0AEX9
V	-3	GLN	-	linker	UNP P0AEX9
V	-2	SER	-	linker	UNP P0AEX9
V	-1	ASN	-	linker	UNP P0AEX9
V	0	ALA	-	linker	UNP P0AEX9
W	-406	MET	-	initiating methionine	UNP P0AEX9
W	-405	GLY	-	expression tag	UNP P0AEX9
W	-404	SER	-	expression tag	UNP P0AEX9
W	-403	SER	-	expression tag	UNP P0AEX9
W	-402	HIS	-	expression tag	UNP P0AEX9
W	-401	HIS	-	expression tag	UNP P0AEX9
W	-400	HIS	-	expression tag	UNP P0AEX9
W	-399	HIS	-	expression tag	UNP P0AEX9
W	-398	HIS	-	expression tag	UNP P0AEX9
W	-397	HIS	-	expression tag	UNP P0AEX9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
W	-396	GLY	-	expression tag	UNP P0AEX9
W	-395	SER	-	expression tag	UNP P0AEX9
W	-394	SER	-	expression tag	UNP P0AEX9
W	-393	MET	-	expression tag	UNP P0AEX9
W	-26	ASN	-	linker	UNP P0AEX9
W	-25	SER	-	linker	UNP P0AEX9
W	-24	SER	-	linker	UNP P0AEX9
W	-23	SER	-	linker	UNP P0AEX9
W	-22	ASN	-	linker	UNP P0AEX9
W	-21	ASN	-	linker	UNP P0AEX9
W	-20	ASN	-	linker	UNP P0AEX9
W	-19	ASN	-	linker	UNP P0AEX9
W	-18	ASN	-	linker	UNP P0AEX9
W	-17	ASN	-	linker	UNP P0AEX9
W	-16	ASN	-	linker	UNP P0AEX9
W	-15	ASN	-	linker	UNP P0AEX9
W	-14	ASN	-	linker	UNP P0AEX9
W	-13	ASN	-	linker	UNP P0AEX9
W	-12	LEU	-	linker	UNP P0AEX9
W	-11	GLY	-	linker	UNP P0AEX9
W	-10	ILE	-	linker	UNP P0AEX9
W	-9	GLU	-	linker	UNP P0AEX9
W	-8	GLU	-	linker	UNP P0AEX9
W	-7	ASN	-	linker	UNP P0AEX9
W	-6	LEU	-	linker	UNP P0AEX9
W	-5	TYR	-	linker	UNP P0AEX9
W	-4	PHE	-	linker	UNP P0AEX9
W	-3	GLN	-	linker	UNP P0AEX9
W	-2	SER	-	linker	UNP P0AEX9
W	-1	ASN	-	linker	UNP P0AEX9
W	0	ALA	-	linker	UNP P0AEX9
X	-406	MET	-	initiating methionine	UNP P0AEX9
X	-405	GLY	-	expression tag	UNP P0AEX9
X	-404	SER	-	expression tag	UNP P0AEX9
X	-403	SER	-	expression tag	UNP P0AEX9
X	-402	HIS	-	expression tag	UNP P0AEX9
X	-401	HIS	-	expression tag	UNP P0AEX9
X	-400	HIS	-	expression tag	UNP P0AEX9
X	-399	HIS	-	expression tag	UNP P0AEX9
X	-398	HIS	-	expression tag	UNP P0AEX9
X	-397	HIS	-	expression tag	UNP P0AEX9
X	-396	GLY	-	expression tag	UNP P0AEX9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
X	-395	SER	-	expression tag	UNP P0AEX9
X	-394	SER	-	expression tag	UNP P0AEX9
X	-393	MET	-	expression tag	UNP P0AEX9
X	-26	ASN	-	linker	UNP P0AEX9
X	-25	SER	-	linker	UNP P0AEX9
X	-24	SER	-	linker	UNP P0AEX9
X	-23	SER	-	linker	UNP P0AEX9
X	-22	ASN	-	linker	UNP P0AEX9
X	-21	ASN	-	linker	UNP P0AEX9
X	-20	ASN	-	linker	UNP P0AEX9
X	-19	ASN	-	linker	UNP P0AEX9
X	-18	ASN	-	linker	UNP P0AEX9
X	-17	ASN	-	linker	UNP P0AEX9
X	-16	ASN	-	linker	UNP P0AEX9
X	-15	ASN	-	linker	UNP P0AEX9
X	-14	ASN	-	linker	UNP P0AEX9
X	-13	ASN	-	linker	UNP P0AEX9
X	-12	LEU	-	linker	UNP P0AEX9
X	-11	GLY	-	linker	UNP P0AEX9
X	-10	ILE	-	linker	UNP P0AEX9
X	-9	GLU	-	linker	UNP P0AEX9
X	-8	GLU	-	linker	UNP P0AEX9
X	-7	ASN	-	linker	UNP P0AEX9
X	-6	LEU	-	linker	UNP P0AEX9
X	-5	TYR	-	linker	UNP P0AEX9
X	-4	PHE	-	linker	UNP P0AEX9
X	-3	GLN	-	linker	UNP P0AEX9
X	-2	SER	-	linker	UNP P0AEX9
X	-1	ASN	-	linker	UNP P0AEX9
X	0	ALA	-	linker	UNP P0AEX9
a	-406	MET	-	initiating methionine	UNP P0AEX9
a	-405	GLY	-	expression tag	UNP P0AEX9
a	-404	SER	-	expression tag	UNP P0AEX9
a	-403	SER	-	expression tag	UNP P0AEX9
a	-402	HIS	-	expression tag	UNP P0AEX9
a	-401	HIS	-	expression tag	UNP P0AEX9
a	-400	HIS	-	expression tag	UNP P0AEX9
a	-399	HIS	-	expression tag	UNP P0AEX9
a	-398	HIS	-	expression tag	UNP P0AEX9
a	-397	HIS	-	expression tag	UNP P0AEX9
a	-396	GLY	-	expression tag	UNP P0AEX9
a	-395	SER	-	expression tag	UNP P0AEX9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
a	-394	SER	-	expression tag	UNP P0AEX9
a	-393	MET	-	expression tag	UNP P0AEX9
a	-26	ASN	-	linker	UNP P0AEX9
a	-25	SER	-	linker	UNP P0AEX9
a	-24	SER	-	linker	UNP P0AEX9
a	-23	SER	-	linker	UNP P0AEX9
a	-22	ASN	-	linker	UNP P0AEX9
a	-21	ASN	-	linker	UNP P0AEX9
a	-20	ASN	-	linker	UNP P0AEX9
a	-19	ASN	-	linker	UNP P0AEX9
a	-18	ASN	-	linker	UNP P0AEX9
a	-17	ASN	-	linker	UNP P0AEX9
a	-16	ASN	-	linker	UNP P0AEX9
a	-15	ASN	-	linker	UNP P0AEX9
a	-14	ASN	-	linker	UNP P0AEX9
a	-13	ASN	-	linker	UNP P0AEX9
a	-12	LEU	-	linker	UNP P0AEX9
a	-11	GLY	-	linker	UNP P0AEX9
a	-10	ILE	-	linker	UNP P0AEX9
a	-9	GLU	-	linker	UNP P0AEX9
a	-8	GLU	-	linker	UNP P0AEX9
a	-7	ASN	-	linker	UNP P0AEX9
a	-6	LEU	-	linker	UNP P0AEX9
a	-5	TYR	-	linker	UNP P0AEX9
a	-4	PHE	-	linker	UNP P0AEX9
a	-3	GLN	-	linker	UNP P0AEX9
a	-2	SER	-	linker	UNP P0AEX9
a	-1	ASN	-	linker	UNP P0AEX9
a	0	ALA	-	linker	UNP P0AEX9
b	-406	MET	-	initiating methionine	UNP P0AEX9
b	-405	GLY	-	expression tag	UNP P0AEX9
b	-404	SER	-	expression tag	UNP P0AEX9
b	-403	SER	-	expression tag	UNP P0AEX9
b	-402	HIS	-	expression tag	UNP P0AEX9
b	-401	HIS	-	expression tag	UNP P0AEX9
b	-400	HIS	-	expression tag	UNP P0AEX9
b	-399	HIS	-	expression tag	UNP P0AEX9
b	-398	HIS	-	expression tag	UNP P0AEX9
b	-397	HIS	-	expression tag	UNP P0AEX9
b	-396	GLY	-	expression tag	UNP P0AEX9
b	-395	SER	-	expression tag	UNP P0AEX9
b	-394	SER	-	expression tag	UNP P0AEX9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
b	-393	MET	-	expression tag	UNP P0AEX9
b	-26	ASN	-	linker	UNP P0AEX9
b	-25	SER	-	linker	UNP P0AEX9
b	-24	SER	-	linker	UNP P0AEX9
b	-23	SER	-	linker	UNP P0AEX9
b	-22	ASN	-	linker	UNP P0AEX9
b	-21	ASN	-	linker	UNP P0AEX9
b	-20	ASN	-	linker	UNP P0AEX9
b	-19	ASN	-	linker	UNP P0AEX9
b	-18	ASN	-	linker	UNP P0AEX9
b	-17	ASN	-	linker	UNP P0AEX9
b	-16	ASN	-	linker	UNP P0AEX9
b	-15	ASN	-	linker	UNP P0AEX9
b	-14	ASN	-	linker	UNP P0AEX9
b	-13	ASN	-	linker	UNP P0AEX9
b	-12	LEU	-	linker	UNP P0AEX9
b	-11	GLY	-	linker	UNP P0AEX9
b	-10	ILE	-	linker	UNP P0AEX9
b	-9	GLU	-	linker	UNP P0AEX9
b	-8	GLU	-	linker	UNP P0AEX9
b	-7	ASN	-	linker	UNP P0AEX9
b	-6	LEU	-	linker	UNP P0AEX9
b	-5	TYR	-	linker	UNP P0AEX9
b	-4	PHE	-	linker	UNP P0AEX9
b	-3	GLN	-	linker	UNP P0AEX9
b	-2	SER	-	linker	UNP P0AEX9
b	-1	ASN	-	linker	UNP P0AEX9
b	0	ALA	-	linker	UNP P0AEX9
c	-406	MET	-	initiating methionine	UNP P0AEX9
c	-405	GLY	-	expression tag	UNP P0AEX9
c	-404	SER	-	expression tag	UNP P0AEX9
c	-403	SER	-	expression tag	UNP P0AEX9
c	-402	HIS	-	expression tag	UNP P0AEX9
c	-401	HIS	-	expression tag	UNP P0AEX9
c	-400	HIS	-	expression tag	UNP P0AEX9
c	-399	HIS	-	expression tag	UNP P0AEX9
c	-398	HIS	-	expression tag	UNP P0AEX9
c	-397	HIS	-	expression tag	UNP P0AEX9
c	-396	GLY	-	expression tag	UNP P0AEX9
c	-395	SER	-	expression tag	UNP P0AEX9
c	-394	SER	-	expression tag	UNP P0AEX9
c	-393	MET	-	expression tag	UNP P0AEX9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
c	-26	ASN	-	linker	UNP P0AEX9
c	-25	SER	-	linker	UNP P0AEX9
c	-24	SER	-	linker	UNP P0AEX9
c	-23	SER	-	linker	UNP P0AEX9
c	-22	ASN	-	linker	UNP P0AEX9
c	-21	ASN	-	linker	UNP P0AEX9
c	-20	ASN	-	linker	UNP P0AEX9
c	-19	ASN	-	linker	UNP P0AEX9
c	-18	ASN	-	linker	UNP P0AEX9
c	-17	ASN	-	linker	UNP P0AEX9
c	-16	ASN	-	linker	UNP P0AEX9
c	-15	ASN	-	linker	UNP P0AEX9
c	-14	ASN	-	linker	UNP P0AEX9
c	-13	ASN	-	linker	UNP P0AEX9
c	-12	LEU	-	linker	UNP P0AEX9
c	-11	GLY	-	linker	UNP P0AEX9
c	-10	ILE	-	linker	UNP P0AEX9
c	-9	GLU	-	linker	UNP P0AEX9
c	-8	GLU	-	linker	UNP P0AEX9
c	-7	ASN	-	linker	UNP P0AEX9
c	-6	LEU	-	linker	UNP P0AEX9
c	-5	TYR	-	linker	UNP P0AEX9
c	-4	PHE	-	linker	UNP P0AEX9
c	-3	GLN	-	linker	UNP P0AEX9
c	-2	SER	-	linker	UNP P0AEX9
c	-1	ASN	-	linker	UNP P0AEX9
c	0	ALA	-	linker	UNP P0AEX9
d	-406	MET	-	initiating methionine	UNP P0AEX9
d	-405	GLY	-	expression tag	UNP P0AEX9
d	-404	SER	-	expression tag	UNP P0AEX9
d	-403	SER	-	expression tag	UNP P0AEX9
d	-402	HIS	-	expression tag	UNP P0AEX9
d	-401	HIS	-	expression tag	UNP P0AEX9
d	-400	HIS	-	expression tag	UNP P0AEX9
d	-399	HIS	-	expression tag	UNP P0AEX9
d	-398	HIS	-	expression tag	UNP P0AEX9
d	-397	HIS	-	expression tag	UNP P0AEX9
d	-396	GLY	-	expression tag	UNP P0AEX9
d	-395	SER	-	expression tag	UNP P0AEX9
d	-394	SER	-	expression tag	UNP P0AEX9
d	-393	MET	-	expression tag	UNP P0AEX9
d	-26	ASN	-	linker	UNP P0AEX9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
d	-25	SER	-	linker	UNP P0AEX9
d	-24	SER	-	linker	UNP P0AEX9
d	-23	SER	-	linker	UNP P0AEX9
d	-22	ASN	-	linker	UNP P0AEX9
d	-21	ASN	-	linker	UNP P0AEX9
d	-20	ASN	-	linker	UNP P0AEX9
d	-19	ASN	-	linker	UNP P0AEX9
d	-18	ASN	-	linker	UNP P0AEX9
d	-17	ASN	-	linker	UNP P0AEX9
d	-16	ASN	-	linker	UNP P0AEX9
d	-15	ASN	-	linker	UNP P0AEX9
d	-14	ASN	-	linker	UNP P0AEX9
d	-13	ASN	-	linker	UNP P0AEX9
d	-12	LEU	-	linker	UNP P0AEX9
d	-11	GLY	-	linker	UNP P0AEX9
d	-10	ILE	-	linker	UNP P0AEX9
d	-9	GLU	-	linker	UNP P0AEX9
d	-8	GLU	-	linker	UNP P0AEX9
d	-7	ASN	-	linker	UNP P0AEX9
d	-6	LEU	-	linker	UNP P0AEX9
d	-5	TYR	-	linker	UNP P0AEX9
d	-4	PHE	-	linker	UNP P0AEX9
d	-3	GLN	-	linker	UNP P0AEX9
d	-2	SER	-	linker	UNP P0AEX9
d	-1	ASN	-	linker	UNP P0AEX9
d	0	ALA	-	linker	UNP P0AEX9

- Molecule 11 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms	AltConf
11	2	1	Total Mg 1 1	0
11	5	1	Total Mg 1 1	0
11	K	1	Total Mg 1 1	0
11	L	1	Total Mg 1 1	0
11	M	1	Total Mg 1 1	0
11	N	1	Total Mg 1 1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
11	O	1	Total	Mg	0
			1	1	
11	P	1	Total	Mg	0
			1	1	
11	Q	1	Total	Mg	0
			1	1	
11	a	2	Total	Mg	0
			2	2	
11	b	2	Total	Mg	0
			2	2	

- Molecule 12 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
12	K	1	Total	C	N	O	P	0
			31	10	5	13	3	
12	L	1	Total	C	N	O	P	0
			31	10	5	13	3	
12	M	1	Total	C	N	O	P	0
			31	10	5	13	3	
12	N	1	Total	C	N	O	P	0
			31	10	5	13	3	
12	O	1	Total	C	N	O	P	0
			31	10	5	13	3	
12	P	1	Total	C	N	O	P	0
			31	10	5	13	3	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
12	Q	1	31	10	5	13	3	0




• Molecule 3: Non-target DNA strand

Chain 7: 11% 86%




• Molecule 4: RE_non-transferred

Chain 4: 39% 17% 44%




• Molecule 4: RE_non-transferred

Chain 6: 37% 19% 44%



• Molecule 5: Cas7.1

Chain A: 75% 17% 8%



• Molecule 5: Cas7.1


Chain B: 82% 16%





• Molecule 5: Cas7.1

Chain C: 83% 16% .



• Molecule 5: Cas7.1

Chain D: 84% 14% ..




• Molecule 5: Cas7.1

Chain E: 85% 14% .



• Molecule 5: Cas7.1


Chain F: 82% 16% ..




• Molecule 6: Cas8

Chain G: 81% 17% .









- Molecule 7: Cas6




- Molecule 8: TniQ.1




- Molecule 8: TniQ.1



- Molecule 9: AAA+ ATPase domain-containing protein

Chain K:  76% 21% ..




• Molecule 9: AAA+ ATPase domain-containing protein

Chain L:  64% 29% • 6%




• Molecule 9: AAA+ ATPase domain-containing protein

Chain M:  67% 26% 7%




• Molecule 9: AAA+ ATPase domain-containing protein


Chain N:  75% 19% • 6%




- Molecule 9: AAA+ ATPase domain-containing protein



- Molecule 9: AAA+ ATPase domain-containing protein



- Molecule 9: AAA+ ATPase domain-containing protein





[illegible]

- Molecule 10: Maltose/maltodextrin-binding periplasmic protein,TnsA endonuclease N-terminal domain-containing protein,TnsB transposase

Chain T: 99%

[illegible]

- Molecule 10: Maltose/maltodextrin-binding periplasmic protein,TnsA endonuclease N-terminal domain-containing protein,TnsB transposase

99%



- Molecule 10: Maltose/maltodextrin-binding periplasmic protein,TnsA endonuclease N-terminal domain-containing protein,TnsB transposase

99%


[illegible]


- Molecule 10: Maltose/maltodextrin-binding periplasmic protein,TnsA endonuclease N-terminal domain-containing protein,TnsB transposase


99%

[illegible]

- Molecule 10: Maltose/maltodextrin-binding periplasmic protein,TnsA endonuclease N-terminal domain-containing protein,TnsB transposase









4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	49606	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	62.82	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	130000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.473	Depositor
Minimum map value	-0.042	Depositor
Average map value	0.005	Depositor
Map value standard deviation	0.011	Depositor
Recommended contour level	0.05	Depositor
Map size (Å)	454.99997, 454.99997, 454.99997	wwPDB
Map dimensions	700, 700, 700	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.65, 0.65, 0.65	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1	0.14	0/1447	0.38	0/2258
2	2	0.21	0/2583	0.52	0/3984
2	5	0.20	0/1012	0.38	0/1561
3	3	0.18	0/1249	0.36	0/1921
3	7	0.17	0/288	0.34	0/442
4	4	0.20	0/661	0.41	0/1019
4	6	0.21	0/661	0.41	0/1019
5	A	0.11	0/2637	0.29	0/3565
5	B	0.11	0/2842	0.26	0/3846
5	C	0.11	0/2842	0.29	0/3846
5	D	0.10	0/2842	0.24	0/3846
5	E	0.10	0/2842	0.25	0/3846
5	F	0.10	0/2828	0.24	0/3827
6	G	0.10	0/5617	0.25	0/7609
7	H	0.12	0/1634	0.30	0/2201
8	I	0.17	0/3392	0.38	0/4595
8	J	0.11	0/3349	0.29	0/4534
9	K	0.16	0/2704	0.36	0/3635
9	L	0.15	0/2588	0.40	0/3481
9	M	0.23	0/2572	0.50	0/3460
9	N	0.13	0/2590	0.39	0/3484
9	O	0.13	0/2636	0.35	0/3543
9	P	0.18	0/2603	0.34	0/3502
9	Q	0.11	0/2642	0.31	0/3551
10	R	0.63	0/82	0.87	0/111
10	S	0.75	0/82	1.05	0/111
10	T	0.85	0/82	1.00	0/111
10	U	0.79	0/82	1.00	0/111
10	V	0.66	0/82	0.90	0/111
10	W	0.55	0/82	0.84	0/111
10	X	0.56	0/82	0.83	0/111
10	a	0.23	0/6582	0.39	0/8900

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
10	b	0.24	0/6582	0.41	0/8900
10	c	0.18	0/2844	0.38	0/3848
10	d	0.11	0/2844	0.32	0/3848
All	All	0.17	0/76487	0.36	0/104848

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	1291	0	648	34	0
2	2	2307	0	1272	60	0
2	5	901	0	490	31	0
3	3	1115	0	610	17	0
3	7	258	0	142	2	0
4	4	592	0	331	6	0
4	6	592	0	331	8	0
5	A	2580	0	2544	39	0
5	B	2777	0	2730	43	0
5	C	2777	0	2730	36	0
5	D	2777	0	2730	37	0
5	E	2777	0	2730	33	0
5	F	2763	0	2719	39	0
6	G	5489	0	5543	76	0
7	H	1599	0	1588	25	0
8	I	3311	0	3241	60	0
8	J	3271	0	3212	50	0
9	K	2658	0	2733	48	0
9	L	2545	0	2610	71	0
9	M	2529	0	2594	63	0
9	N	2547	0	2619	50	0
9	O	2592	0	2662	55	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	P	2559	0	2628	49	0
9	Q	2598	0	2681	75	0
10	R	80	0	58	5	0
10	S	80	0	58	9	0
10	T	80	0	58	3	0
10	U	80	0	58	10	0
10	V	80	0	58	11	0
10	W	80	0	58	15	0
10	X	80	0	58	24	0
10	a	6429	0	6449	102	0
10	b	6429	0	6449	123	0
10	c	2775	0	2744	70	0
10	d	2775	0	2744	52	0
11	2	1	0	0	0	0
11	5	1	0	0	0	0
11	K	1	0	0	0	0
11	L	1	0	0	0	0
11	M	1	0	0	0	0
11	N	1	0	0	0	0
11	O	1	0	0	0	0
11	P	1	0	0	0	0
11	Q	1	0	0	0	0
11	a	2	0	0	0	0
11	b	2	0	0	0	0
12	K	31	0	12	1	0
12	L	31	0	12	3	0
12	M	31	0	12	0	0
12	N	31	0	12	1	0
12	O	31	0	12	2	0
12	P	31	0	12	1	0
12	Q	31	0	12	1	0
All	All	74403	0	70994	1238	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 1238 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:O:216:MET:CB	10:V:849:ALA:HB2	1.58	1.31
8:J:187:CYS:SG	8:J:193:LEU:HD21	1.77	1.23

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:J:171:GLU:HB2	8:J:189:CYS:SG	1.78	1.22
9:Q:210:TYR:CD1	10:X:850:PHE:HE2	1.58	1.21
8:I:136:CYS:SG	8:I:165:LEU:CD2	2.31	1.18

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	A	317/350 (91%)	305 (96%)	12 (4%)	0	100	100
5	B	344/350 (98%)	335 (97%)	9 (3%)	0	100	100
5	C	344/350 (98%)	335 (97%)	9 (3%)	0	100	100
5	D	344/350 (98%)	336 (98%)	8 (2%)	0	100	100
5	E	344/350 (98%)	337 (98%)	7 (2%)	0	100	100
5	F	342/350 (98%)	335 (98%)	7 (2%)	0	100	100
6	G	680/695 (98%)	669 (98%)	11 (2%)	0	100	100
7	H	196/237 (83%)	190 (97%)	6 (3%)	0	100	100
8	I	406/432 (94%)	385 (95%)	21 (5%)	0	100	100
8	J	400/432 (93%)	391 (98%)	9 (2%)	0	100	100
9	K	323/333 (97%)	320 (99%)	3 (1%)	0	100	100
9	L	307/333 (92%)	296 (96%)	11 (4%)	0	100	100
9	M	305/333 (92%)	300 (98%)	5 (2%)	0	100	100
9	N	307/333 (92%)	300 (98%)	7 (2%)	0	100	100
9	O	313/333 (94%)	308 (98%)	5 (2%)	0	100	100
9	P	308/333 (92%)	297 (96%)	11 (4%)	0	100	100
9	Q	313/333 (94%)	307 (98%)	6 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
10	R	7/1258 (1%)	6 (86%)	1 (14%)	0	100	100
10	S	7/1258 (1%)	6 (86%)	1 (14%)	0	100	100
10	T	7/1258 (1%)	5 (71%)	2 (29%)	0	100	100
10	U	7/1258 (1%)	7 (100%)	0	0	100	100
10	V	7/1258 (1%)	7 (100%)	0	0	100	100
10	W	7/1258 (1%)	6 (86%)	1 (14%)	0	100	100
10	X	7/1258 (1%)	6 (86%)	1 (14%)	0	100	100
10	a	784/1258 (62%)	767 (98%)	17 (2%)	0	100	100
10	b	784/1258 (62%)	751 (96%)	33 (4%)	0	100	100
10	c	330/1258 (26%)	314 (95%)	16 (5%)	0	100	100
10	d	330/1258 (26%)	318 (96%)	12 (4%)	0	100	100
All	All	8170/20065 (41%)	7939 (97%)	231 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	A	282/307 (92%)	280 (99%)	2 (1%)	76	83
5	B	305/307 (99%)	303 (99%)	2 (1%)	76	83
5	C	305/307 (99%)	294 (96%)	11 (4%)	31	63
5	D	305/307 (99%)	297 (97%)	8 (3%)	40	69
5	E	305/307 (99%)	299 (98%)	6 (2%)	48	72
5	F	304/307 (99%)	299 (98%)	5 (2%)	55	75
6	G	603/614 (98%)	598 (99%)	5 (1%)	73	82
7	H	174/200 (87%)	171 (98%)	3 (2%)	53	75
8	I	363/383 (95%)	354 (98%)	9 (2%)	42	69
8	J	359/383 (94%)	353 (98%)	6 (2%)	53	75

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
9	K	295/301 (98%)	284 (96%)	11 (4%)	30	63
9	L	283/301 (94%)	275 (97%)	8 (3%)	38	68
9	M	281/301 (93%)	272 (97%)	9 (3%)	34	65
9	N	283/301 (94%)	276 (98%)	7 (2%)	42	69
9	O	287/301 (95%)	281 (98%)	6 (2%)	47	71
9	P	284/301 (94%)	278 (98%)	6 (2%)	47	71
9	Q	288/301 (96%)	283 (98%)	5 (2%)	53	75
10	R	8/1085 (1%)	8 (100%)	0	100	100
10	S	8/1085 (1%)	8 (100%)	0	100	100
10	T	8/1085 (1%)	7 (88%)	1 (12%)	4	21
10	U	8/1085 (1%)	7 (88%)	1 (12%)	4	21
10	V	8/1085 (1%)	8 (100%)	0	100	100
10	W	8/1085 (1%)	8 (100%)	0	100	100
10	X	8/1085 (1%)	8 (100%)	0	100	100
10	a	708/1085 (65%)	689 (97%)	19 (3%)	39	68
10	b	708/1085 (65%)	688 (97%)	20 (3%)	38	68
10	c	308/1085 (28%)	301 (98%)	7 (2%)	44	70
10	d	308/1085 (28%)	303 (98%)	5 (2%)	55	75
All	All	7394/17464 (42%)	7232 (98%)	162 (2%)	45	71

5 of 162 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
10	a	407	ILE
10	b	678	THR
10	a	484	ILE
10	b	47	ILE
10	c	464	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 78 such sidechains are listed below:

Mol	Chain	Res	Type
10	a	557	GLN
10	b	538	ASN
10	a	564	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	b	244	ASN
10	c	564	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1	59/93 (63%)	26 (44%)	1 (1%)

5 of 26 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1	-6	U
1	1	-5	G
1	1	-2	A
1	1	0	U
1	1	1	A

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	1	31	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 20 ligands modelled in this entry, 13 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
12	ATP	P	401	11	29,33,33	0.30	0	44,52,52	0.50	1 (2%)
12	ATP	O	401	11	29,33,33	0.29	0	44,52,52	0.50	1 (2%)
12	ATP	M	401	11	29,33,33	0.30	0	44,52,52	0.50	1 (2%)
12	ATP	Q	401	11	29,33,33	0.31	0	44,52,52	0.52	1 (2%)
12	ATP	N	401	11	29,33,33	0.31	0	44,52,52	0.50	0
12	ATP	L	401	11	29,33,33	0.29	0	44,52,52	0.49	1 (2%)
12	ATP	K	401	11	29,33,33	0.31	0	44,52,52	0.53	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	ATP	P	401	11	-	5/22/38/38	0/3/3/3
12	ATP	O	401	11	-	2/22/38/38	0/3/3/3
12	ATP	M	401	11	-	2/22/38/38	0/3/3/3
12	ATP	Q	401	11	-	2/22/38/38	0/3/3/3
12	ATP	N	401	11	-	2/22/38/38	0/3/3/3
12	ATP	L	401	11	-	2/22/38/38	0/3/3/3
12	ATP	K	401	11	-	6/22/38/38	0/3/3/3

There are no bond length outliers.

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	P	401	ATP	PB-O3B-PG	2.05	139.86	132.83
12	M	401	ATP	PB-O3B-PG	2.04	139.84	132.83
12	K	401	ATP	PB-O3B-PG	2.04	139.83	132.83
12	O	401	ATP	PB-O3B-PG	2.04	139.81	132.83
12	Q	401	ATP	PB-O3B-PG	2.03	139.79	132.83

There are no chirality outliers.

5 of 21 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
12	L	401	ATP	O4'-C4'-C5'-O5'
12	O	401	ATP	O4'-C4'-C5'-O5'
12	P	401	ATP	PB-O3B-PG-O2G
12	P	401	ATP	O4'-C4'-C5'-O5'
12	Q	401	ATP	O4'-C4'-C5'-O5'



There are no ring outliers.



6 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
12	P	401	ATP	1	0
12	O	401	ATP	2	0
12	Q	401	ATP	1	0
12	N	401	ATP	1	0
12	L	401	ATP	3	0
12	K	401	ATP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-57736. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 350



Y Index: 350




Z Index: 350


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 348



Y Index: 304




Z Index: 299


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 670 nm^3 ; this corresponds to an approximate mass of 605 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.312 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-57736 and PDB model 30GA. Per-residue inclusion information can be found in section [3](#) on page [27](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).









































































9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 87% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8690	 0.4440
1	 0.9820	 0.4850
2	 0.9140	 0.4080
3	 0.9440	 0.3960
4	 0.8680	 0.3550
5	 0.8260	 0.3640
6	 0.8950	 0.3960
7	 0.8610	 0.3550
A	 0.9200	 0.5110
B	 0.9330	 0.5160
C	 0.9370	 0.5160
D	 0.9440	 0.5170
E	 0.9520	 0.5220
F	 0.9320	 0.5130
G	 0.9100	 0.4960
H	 0.9060	 0.4440
I	 0.8980	 0.4590
J	 0.9220	 0.4910
K	 0.9110	 0.4760
L	 0.8870	 0.4440
M	 0.8840	 0.4390
N	 0.9110	 0.4660
O	 0.9050	 0.4620
P	 0.9020	 0.4560
Q	 0.9070	 0.4760
R	 0.7470	 0.2940
S	 0.7720	 0.3890
T	 0.7220	 0.3560
U	 0.7470	 0.3140
V	 0.7220	 0.3290
W	 0.7470	 0.3250
X	 0.8350	 0.4330
a	 0.7810	 0.4000
b	 0.7230	 0.3240
c	 0.6900	 0.3470
d	 0.6750	 0.3190

