



## wwPDB EM Validation Summary Report ⓘ

May 28, 2026 – 04:26 PM JST

PDB ID : 21KT / pdb\_000021kt  
EMDB ID : EMD-67780  
Title : Wnt3a signalosome extracellular complex  
Authors : Yue, D.; Sun, G.; Zhang, L.; Wang, Z.; Xu, W.  
Deposited on : 2025-12-17  
Resolution : 3.33 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4-5-2 with Phenix2.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.33 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14484 ( 2.83 - 3.83 )

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	334	
1	E	334	
2	C	271	
2	D	271	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	G	271	
2	H	271	
3	B	752	
3	F	752	
4	I	2	
4	J	2	
4	K	2	

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 19006 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein Wnt-3a.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	334	Total	C	N	O	S	0	0
			2612	1615	485	485	27		
1	E	334	Total	C	N	O	S	0	0
			2612	1615	485	485	27		

- Molecule 2 is a protein called Frizzled-8,Peptidyl-prolyl cis-trans isomerase FKBP1A.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C	119	Total	C	N	O	S	0	0
			959	610	159	175	15		
2	D	119	Total	C	N	O	S	0	0
			959	610	159	175	15		
2	H	119	Total	C	N	O	S	0	0
			959	610	159	175	15		
2	G	119	Total	C	N	O	S	0	0
			959	610	159	175	15		

There are 172 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	20	HIS	-	expression tag	UNP Q9H461
C	21	HIS	-	expression tag	UNP Q9H461
C	22	HIS	-	expression tag	UNP Q9H461
C	23	HIS	-	expression tag	UNP Q9H461
C	24	HIS	-	expression tag	UNP Q9H461
C	25	HIS	-	expression tag	UNP Q9H461
C	26	HIS	-	expression tag	UNP Q9H461
C	27	HIS	-	expression tag	UNP Q9H461
C	28	ALA	-	expression tag	UNP Q9H461
C	29	SER	-	expression tag	UNP Q9H461
C	30	ALA	-	expression tag	UNP Q9H461
C	156	GLY	-	linker	UNP Q9H461
C	157	GLY	-	linker	UNP Q9H461

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	158	GLY	-	linker	UNP Q9H461
C	159	GLY	-	linker	UNP Q9H461
C	160	SER	-	linker	UNP Q9H461
C	161	GLY	-	linker	UNP Q9H461
C	162	GLY	-	linker	UNP Q9H461
C	163	GLY	-	linker	UNP Q9H461
C	164	GLY	-	linker	UNP Q9H461
C	165	SER	-	linker	UNP Q9H461
C	166	GLY	-	linker	UNP Q9H461
C	167	GLY	-	linker	UNP Q9H461
C	168	GLY	-	linker	UNP Q9H461
C	169	GLY	-	linker	UNP Q9H461
C	170	SER	-	linker	UNP Q9H461
C	171	GLY	-	linker	UNP Q9H461
C	172	GLY	-	linker	UNP Q9H461
C	173	GLY	-	linker	UNP Q9H461
C	174	GLY	-	linker	UNP Q9H461
C	175	SER	-	linker	UNP Q9H461
C	178	ALA	GLN	engineered mutation	UNP P62942
C	180	ALA	GLU	engineered mutation	UNP P62942
C	197	SER	CYS	engineered mutation	UNP P62942
C	240	ALA	GLN	engineered mutation	UNP P62942
C	283	ASP	-	expression tag	UNP P62942
C	284	TYR	-	expression tag	UNP P62942
C	285	LYS	-	expression tag	UNP P62942
C	286	ASP	-	expression tag	UNP P62942
C	287	ASP	-	expression tag	UNP P62942
C	288	ASP	-	expression tag	UNP P62942
C	289	ASP	-	expression tag	UNP P62942
C	290	LYS	-	expression tag	UNP P62942
D	20	HIS	-	expression tag	UNP Q9H461
D	21	HIS	-	expression tag	UNP Q9H461
D	22	HIS	-	expression tag	UNP Q9H461
D	23	HIS	-	expression tag	UNP Q9H461
D	24	HIS	-	expression tag	UNP Q9H461
D	25	HIS	-	expression tag	UNP Q9H461
D	26	HIS	-	expression tag	UNP Q9H461
D	27	HIS	-	expression tag	UNP Q9H461
D	28	ALA	-	expression tag	UNP Q9H461
D	29	SER	-	expression tag	UNP Q9H461
D	30	ALA	-	expression tag	UNP Q9H461
D	156	GLY	-	linker	UNP Q9H461

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	157	GLY	-	linker	UNP Q9H461
D	158	GLY	-	linker	UNP Q9H461
D	159	GLY	-	linker	UNP Q9H461
D	160	SER	-	linker	UNP Q9H461
D	161	GLY	-	linker	UNP Q9H461
D	162	GLY	-	linker	UNP Q9H461
D	163	GLY	-	linker	UNP Q9H461
D	164	GLY	-	linker	UNP Q9H461
D	165	SER	-	linker	UNP Q9H461
D	166	GLY	-	linker	UNP Q9H461
D	167	GLY	-	linker	UNP Q9H461
D	168	GLY	-	linker	UNP Q9H461
D	169	GLY	-	linker	UNP Q9H461
D	170	SER	-	linker	UNP Q9H461
D	171	GLY	-	linker	UNP Q9H461
D	172	GLY	-	linker	UNP Q9H461
D	173	GLY	-	linker	UNP Q9H461
D	174	GLY	-	linker	UNP Q9H461
D	175	SER	-	linker	UNP Q9H461
D	178	ALA	GLN	engineered mutation	UNP P62942
D	180	ALA	GLU	engineered mutation	UNP P62942
D	197	SER	CYS	engineered mutation	UNP P62942
D	240	ALA	GLN	engineered mutation	UNP P62942
D	283	ASP	-	expression tag	UNP P62942
D	284	TYR	-	expression tag	UNP P62942
D	285	LYS	-	expression tag	UNP P62942
D	286	ASP	-	expression tag	UNP P62942
D	287	ASP	-	expression tag	UNP P62942
D	288	ASP	-	expression tag	UNP P62942
D	289	ASP	-	expression tag	UNP P62942
D	290	LYS	-	expression tag	UNP P62942
H	20	HIS	-	expression tag	UNP Q9H461
H	21	HIS	-	expression tag	UNP Q9H461
H	22	HIS	-	expression tag	UNP Q9H461
H	23	HIS	-	expression tag	UNP Q9H461
H	24	HIS	-	expression tag	UNP Q9H461
H	25	HIS	-	expression tag	UNP Q9H461
H	26	HIS	-	expression tag	UNP Q9H461
H	27	HIS	-	expression tag	UNP Q9H461
H	28	ALA	-	expression tag	UNP Q9H461
H	29	SER	-	expression tag	UNP Q9H461
H	30	ALA	-	expression tag	UNP Q9H461

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
H	156	GLY	-	linker	UNP Q9H461
H	157	GLY	-	linker	UNP Q9H461
H	158	GLY	-	linker	UNP Q9H461
H	159	GLY	-	linker	UNP Q9H461
H	160	SER	-	linker	UNP Q9H461
H	161	GLY	-	linker	UNP Q9H461
H	162	GLY	-	linker	UNP Q9H461
H	163	GLY	-	linker	UNP Q9H461
H	164	GLY	-	linker	UNP Q9H461
H	165	SER	-	linker	UNP Q9H461
H	166	GLY	-	linker	UNP Q9H461
H	167	GLY	-	linker	UNP Q9H461
H	168	GLY	-	linker	UNP Q9H461
H	169	GLY	-	linker	UNP Q9H461
H	170	SER	-	linker	UNP Q9H461
H	171	GLY	-	linker	UNP Q9H461
H	172	GLY	-	linker	UNP Q9H461
H	173	GLY	-	linker	UNP Q9H461
H	174	GLY	-	linker	UNP Q9H461
H	175	SER	-	linker	UNP Q9H461
H	178	ALA	GLN	engineered mutation	UNP P62942
H	180	ALA	GLU	engineered mutation	UNP P62942
H	197	SER	CYS	engineered mutation	UNP P62942
H	240	ALA	GLN	engineered mutation	UNP P62942
H	283	ASP	-	expression tag	UNP P62942
H	284	TYR	-	expression tag	UNP P62942
H	285	LYS	-	expression tag	UNP P62942
H	286	ASP	-	expression tag	UNP P62942
H	287	ASP	-	expression tag	UNP P62942
H	288	ASP	-	expression tag	UNP P62942
H	289	ASP	-	expression tag	UNP P62942
H	290	LYS	-	expression tag	UNP P62942
G	20	HIS	-	expression tag	UNP Q9H461
G	21	HIS	-	expression tag	UNP Q9H461
G	22	HIS	-	expression tag	UNP Q9H461
G	23	HIS	-	expression tag	UNP Q9H461
G	24	HIS	-	expression tag	UNP Q9H461
G	25	HIS	-	expression tag	UNP Q9H461
G	26	HIS	-	expression tag	UNP Q9H461
G	27	HIS	-	expression tag	UNP Q9H461
G	28	ALA	-	expression tag	UNP Q9H461
G	29	SER	-	expression tag	UNP Q9H461

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
G	30	ALA	-	expression tag	UNP Q9H461
G	156	GLY	-	linker	UNP Q9H461
G	157	GLY	-	linker	UNP Q9H461
G	158	GLY	-	linker	UNP Q9H461
G	159	GLY	-	linker	UNP Q9H461
G	160	SER	-	linker	UNP Q9H461
G	161	GLY	-	linker	UNP Q9H461
G	162	GLY	-	linker	UNP Q9H461
G	163	GLY	-	linker	UNP Q9H461
G	164	GLY	-	linker	UNP Q9H461
G	165	SER	-	linker	UNP Q9H461
G	166	GLY	-	linker	UNP Q9H461
G	167	GLY	-	linker	UNP Q9H461
G	168	GLY	-	linker	UNP Q9H461
G	169	GLY	-	linker	UNP Q9H461
G	170	SER	-	linker	UNP Q9H461
G	171	GLY	-	linker	UNP Q9H461
G	172	GLY	-	linker	UNP Q9H461
G	173	GLY	-	linker	UNP Q9H461
G	174	GLY	-	linker	UNP Q9H461
G	175	SER	-	linker	UNP Q9H461
G	178	ALA	GLN	engineered mutation	UNP P62942
G	180	ALA	GLU	engineered mutation	UNP P62942
G	197	SER	CYS	engineered mutation	UNP P62942
G	240	ALA	GLN	engineered mutation	UNP P62942
G	283	ASP	-	expression tag	UNP P62942
G	284	TYR	-	expression tag	UNP P62942
G	285	LYS	-	expression tag	UNP P62942
G	286	ASP	-	expression tag	UNP P62942
G	287	ASP	-	expression tag	UNP P62942
G	288	ASP	-	expression tag	UNP P62942
G	289	ASP	-	expression tag	UNP P62942
G	290	LYS	-	expression tag	UNP P62942

- Molecule 3 is a protein called Low-density lipoprotein receptor-related protein 6, Serine/threonine-protein kinase mTOR.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	F	616	Total	C	N	O	S	0	0
			4903	3075	868	935	25		
3	B	616	Total	C	N	O	S	0	0
			4903	3075	868	935	25		



There are 74 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	622	ASP	-	expression tag	UNP O75581
F	623	TYR	-	expression tag	UNP O75581
F	624	LYS	-	expression tag	UNP O75581
F	625	ASP	-	expression tag	UNP O75581
F	626	ASP	-	expression tag	UNP O75581
F	627	ASP	-	expression tag	UNP O75581
F	628	ASP	-	expression tag	UNP O75581
F	629	LYS	-	expression tag	UNP O75581
F	1246	GLY	-	linker	UNP O75581
F	1247	GLY	-	linker	UNP O75581
F	1248	GLY	-	linker	UNP O75581
F	1249	GLY	-	linker	UNP O75581
F	1250	SER	-	linker	UNP O75581
F	1251	GLY	-	linker	UNP O75581
F	1252	GLY	-	linker	UNP O75581
F	1253	GLY	-	linker	UNP O75581
F	1254	GLY	-	linker	UNP O75581
F	1255	SER	-	linker	UNP O75581
F	1256	GLY	-	linker	UNP O75581
F	1257	GLY	-	linker	UNP O75581
F	1258	GLY	-	linker	UNP O75581
F	1259	GLY	-	linker	UNP O75581
F	1260	SER	-	linker	UNP O75581
F	1261	GLY	-	linker	UNP O75581
F	1262	GLY	-	linker	UNP O75581
F	1263	GLY	-	linker	UNP O75581
F	1264	GLY	-	linker	UNP O75581
F	1265	SER	-	linker	UNP O75581
F	1336	SER	CYS	engineered mutation	UNP A0A8V8TRG9
F	1366	HIS	-	expression tag	UNP A0A8V8TRG9
F	1367	HIS	-	expression tag	UNP A0A8V8TRG9
F	1368	HIS	-	expression tag	UNP A0A8V8TRG9
F	1369	HIS	-	expression tag	UNP A0A8V8TRG9
F	1370	HIS	-	expression tag	UNP A0A8V8TRG9
F	1371	HIS	-	expression tag	UNP A0A8V8TRG9
F	1372	HIS	-	expression tag	UNP A0A8V8TRG9
F	1373	HIS	-	expression tag	UNP A0A8V8TRG9
B	622	ASP	-	expression tag	UNP O75581
B	623	TYR	-	expression tag	UNP O75581
B	624	LYS	-	expression tag	UNP O75581
B	625	ASP	-	expression tag	UNP O75581
B	626	ASP	-	expression tag	UNP O75581

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	627	ASP	-	expression tag	UNP O75581
B	628	ASP	-	expression tag	UNP O75581
B	629	LYS	-	expression tag	UNP O75581
B	1246	GLY	-	linker	UNP O75581
B	1247	GLY	-	linker	UNP O75581
B	1248	GLY	-	linker	UNP O75581
B	1249	GLY	-	linker	UNP O75581
B	1250	SER	-	linker	UNP O75581
B	1251	GLY	-	linker	UNP O75581
B	1252	GLY	-	linker	UNP O75581
B	1253	GLY	-	linker	UNP O75581
B	1254	GLY	-	linker	UNP O75581
B	1255	SER	-	linker	UNP O75581
B	1256	GLY	-	linker	UNP O75581
B	1257	GLY	-	linker	UNP O75581
B	1258	GLY	-	linker	UNP O75581
B	1259	GLY	-	linker	UNP O75581
B	1260	SER	-	linker	UNP O75581
B	1261	GLY	-	linker	UNP O75581
B	1262	GLY	-	linker	UNP O75581
B	1263	GLY	-	linker	UNP O75581
B	1264	GLY	-	linker	UNP O75581
B	1265	SER	-	linker	UNP O75581
B	1336	SER	CYS	engineered mutation	UNP A0A8V8TRG9
B	1366	HIS	-	expression tag	UNP A0A8V8TRG9
B	1367	HIS	-	expression tag	UNP A0A8V8TRG9
B	1368	HIS	-	expression tag	UNP A0A8V8TRG9
B	1369	HIS	-	expression tag	UNP A0A8V8TRG9
B	1370	HIS	-	expression tag	UNP A0A8V8TRG9
B	1371	HIS	-	expression tag	UNP A0A8V8TRG9
B	1372	HIS	-	expression tag	UNP A0A8V8TRG9
B	1373	HIS	-	expression tag	UNP A0A8V8TRG9

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
4	I	2	Total	C	N	O	0	0
			28	16	2	10		
4	J	2	Total	C	N	O	0	0
			28	16	2	10		
4	K	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula:  $C_8H_{15}NO_6$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
5	A	1	Total	C	N	O	0
			14	8	1	5	
5	B	1	Total	C	N	O	0
			14	8	1	5	
5	B	1	Total	C	N	O	0
			14	8	1	5	
5	B	1	Total	C	N	O	0
			14	8	1	5	


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Protein Wnt-3a




#### • Molecule 1: Protein Wnt-3a




#### • Molecule 2: Frizzled-8,Peptidyl-prolyl cis-trans isomerase FKBP1A








• Molecule 2: Frizzled-8,Peptidyl-prolyl cis-trans isomerase FKBP1A




• Molecule 2: Frizzled-8,Peptidyl-prolyl cis-trans isomerase FKBP1A



## Chain G:



## Chain F:




SER GLY GLY GLY SER SER GLU LEU ILE VAL VAL ALA ILE LEU TRP HIS GLU MET TRP HIS GLY GLY GLU ALA SER ARG LEU THR PHE GLY GLY TRP GLN ALA TRP ASP ARG LEU VAL ILE LEU PRO HIS ALA MET MET GLU ARG GLY PRO GLN THR LEU LYS THR

SER PHE ASN GLN ALA TYR GLY ARG ASP ASP LEU MET GLU ALA GLN GLU TRP HIS SER ARG MET LYS TYR MET LYS SER GLY ASN VAL LYS SER LEU THR GLN ALA TRP ASP ARG LEU VAL ILE LEU PRO HIS ALA MET MET GLU ARG GLY PRO GLN THR LEU LYS THR

- Molecule 3: Low-density lipoprotein receptor-related protein 6, Serine/threonine-protein kinase mTOR

Chain B: 



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 

MAG1  
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  50% 50%

MAG1  
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%

MAG1  
MAG2



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	230266	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	60	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.100	Depositor
Minimum map value	-0.731	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.018	Depositor
Recommended contour level	0.08	Depositor
Map size ( $\text{\AA}$ )	329.6, 329.6, 329.6	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	0.824, 0.824, 0.824	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.16	0/2679	0.33	0/3622
1	E	0.13	0/2679	0.33	0/3622
2	C	0.16	0/988	0.38	0/1343
2	D	0.15	0/988	0.36	0/1343
2	G	0.14	0/988	0.38	0/1343
2	H	0.13	0/988	0.37	0/1343
3	B	0.12	0/5007	0.30	0/6796
3	F	0.11	0/5007	0.30	0/6796
All	All	0.13	0/19324	0.32	0/26208

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2612	0	2457	72	0
1	E	2612	0	2457	75	0
2	C	959	0	906	48	0
2	D	959	0	906	35	0
2	G	959	0	906	36	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	H	959	0	906	36	0
3	B	4903	0	4780	153	0
3	F	4903	0	4785	132	0
4	I	28	0	25	1	0
4	J	28	0	25	2	0
4	K	28	0	25	0	0
5	A	14	0	13	1	0
5	B	42	0	39	0	0
All	All	19006	0	18230	563	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

The worst 5 of 563 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:VAL:HG11	1:A:165:VAL:HG11	1.58	0.85
2:D:53:MET:HG3	2:D:54:PRO:HD3	1.59	0.84
3:B:820:MET:HG2	3:B:821:LEU:HD22	1.61	0.83
1:E:205:CYS:HA	1:E:215:LYS:HA	1.62	0.81
3:F:1197:LEU:HD11	3:F:1202:TYR:HB2	1.66	0.78

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	332/334 (99%)	319 (96%)	13 (4%)	0	100	100
1	E	332/334 (99%)	304 (92%)	28 (8%)	0	100	100
2	C	117/271 (43%)	110 (94%)	7 (6%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	D	117/271 (43%)	108 (92%)	9 (8%)	0	100	100
2	G	117/271 (43%)	113 (97%)	4 (3%)	0	100	100
2	H	117/271 (43%)	106 (91%)	11 (9%)	0	100	100
3	B	614/752 (82%)	570 (93%)	44 (7%)	0	100	100
3	F	614/752 (82%)	567 (92%)	47 (8%)	0	100	100
All	All	2360/3256 (72%)	2197 (93%)	163 (7%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	280/282 (99%)	275 (98%)	5 (2%)	51	69
1	E	280/282 (99%)	277 (99%)	3 (1%)	65	75
2	C	107/220 (49%)	107 (100%)	0	100	100
2	D	107/220 (49%)	104 (97%)	3 (3%)	38	62
2	G	107/220 (49%)	106 (99%)	1 (1%)	70	77
2	H	107/220 (49%)	106 (99%)	1 (1%)	70	77
3	B	538/646 (83%)	536 (100%)	2 (0%)	84	83
3	F	538/646 (83%)	535 (99%)	3 (1%)	78	81
All	All	2064/2736 (75%)	2046 (99%)	18 (1%)	68	77

5 of 18 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	H	73	TRP
3	B	820	MET
3	B	706	TYR
1	E	173	ARG
3	F	1038	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 13 such sidechains are listed below:

Mol	Chain	Res	Type
2	D	143	ASN
3	F	1182	GLN
3	B	926	ASN
2	G	71	GLN
2	G	141	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	NAG	I	1	4,1	14,14,15	0.24	0	17,19,21	0.50	0
4	NAG	I	2	4	14,14,15	0.22	0	17,19,21	0.42	0
4	NAG	J	1	4,1	14,14,15	0.30	0	17,19,21	0.55	0
4	NAG	J	2	4	14,14,15	0.29	0	17,19,21	0.37	0
4	NAG	K	1	4,1	14,14,15	0.26	0	17,19,21	0.44	0
4	NAG	K	2	4	14,14,15	0.22	0	17,19,21	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	I	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	I	2	4	-	2/6/23/26	0/1/1/1
4	NAG	J	1	4,1	-	4/6/23/26	0/1/1/1
4	NAG	J	2	4	-	0/6/23/26	0/1/1/1
4	NAG	K	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	K	2	4	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 10 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	K	2	NAG	O5-C5-C6-O6
4	J	1	NAG	O5-C5-C6-O6
4	I	2	NAG	C4-C5-C6-O6
4	K	2	NAG	C4-C5-C6-O6
4	J	1	NAG	C4-C5-C6-O6


There are no ring outliers.

2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	J	1	NAG	2	0
4	I	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	NAG	A	401	1	14,14,15	0.66	1 (7%)	17,19,21	0.44	0
5	NAG	B	1401	3	14,14,15	0.26	0	17,19,21	0.52	0
5	NAG	B	1403	3	14,14,15	0.63	1 (7%)	17,19,21	0.75	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	NAG	B	1402	3	14,14,15	0.20	0	17,19,21	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	A	401	1	-	3/6/23/26	0/1/1/1
5	NAG	B	1401	3	-	2/6/23/26	0/1/1/1
5	NAG	B	1403	3	-	3/6/23/26	0/1/1/1
5	NAG	B	1402	3	-	0/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	401	NAG	O5-C1	-2.34	1.40	1.43
5	B	1403	NAG	O5-C1	-2.20	1.40	1.43

There are no bond angle outliers.

There are no chirality outliers.

5 of 8 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	401	NAG	C8-C7-N2-C2
5	A	401	NAG	O7-C7-N2-C2
5	B	1401	NAG	C8-C7-N2-C2
5	B	1401	NAG	O7-C7-N2-C2
5	B	1403	NAG	O5-C5-C6-O6


There are no ring outliers.



1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	401	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-67780. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


### 6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 187




Y Index: 198




Z Index: 256


### 6.3.2 Raw map



X Index: 187



Y Index: 186




Z Index: 268

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.08. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 145 nm<sup>3</sup>; this corresponds to an approximate mass of 131 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.300  $\text{\AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of  $0.300 \text{ \AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.33	-	-
Author-provided FSC curve	3.33	3.83	3.37
Unmasked-calculated*	3.85	4.35	3.91

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.85 differs from the reported value 3.33 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-67780 and PDB model 21KT. Per-residue inclusion information can be found in [section 3](#) on [page 12](#).


### 9.1 Map-model overlay [i](#)



X



Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.08 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.08).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 74% of all backbone atoms, 66% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.08) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.6620	<div></div> 0.3090
A	<div></div> 0.8070	<div></div> 0.4000
B	<div></div> 0.7880	<div></div> 0.3690
C	<div></div> 0.3520	<div></div> 0.1210
D	<div></div> 0.0740	<div></div> 0.0570
E	<div></div> 0.7780	<div></div> 0.3850
F	<div></div> 0.7300	<div></div> 0.3240
G	<div></div> 0.4410	<div></div> 0.1650
H	<div></div> 0.0760	<div></div> 0.0520
I	<div></div> 0.8210	<div></div> 0.4140
J	<div></div> 0.7860	<div></div> 0.3490
K	<div></div> 0.5360	<div></div> 0.3120

1.0

0.0

<0.0