



wwPDB EM Validation Summary Report ⓘ

Apr 16, 2026 – 04:31 pm BST

PDB ID : 9T92 / pdb_00009t92
EMDB ID : EMD-55714
Title : cryo-EM structure of autophosphorylated mTOR complex 2, overall refinement
Authors : Hay, I.M.; Anandapadamanaban, M.; Williams, R.L.
Deposited on : 2025-11-13
Resolution : 3.10 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMD archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14724 (2.60 - 3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2590	<div> <div>8%</div> <div>65%</div> <div>32%</div> </div>
1	B	2590	<div> <div>8%</div> <div>64%</div> <div>33%</div> </div>
2	C	326	<div> <div>22%</div> <div>89%</div> <div>8%</div> </div>
2	D	326	<div> <div>28%</div> <div>86%</div> <div>10%</div> </div>

Continued on next page...

Mol	Chain	Length	Quality of chain
3	E	1734	 7% 63% 5% 35%
3	F	1734	 11% 60% 5% 35%
4	G	522	 13% 22% 77%
4	H	522	 13% 21% 77%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 53168 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase mTOR.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1749	Total	C	N	O	S	0	0
			14145	9037	2478	2532	98		
1	B	1746	Total	C	N	O	S	0	0
			14127	9027	2475	2528	97		

There are 82 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-40	MET	-	initiating methionine	UNP P42345
A	-39	ALA	-	expression tag	UNP P42345
A	-38	SER	-	expression tag	UNP P42345
A	-37	TRP	-	expression tag	UNP P42345
A	-36	SER	-	expression tag	UNP P42345
A	-35	HIS	-	expression tag	UNP P42345
A	-34	PRO	-	expression tag	UNP P42345
A	-33	GLN	-	expression tag	UNP P42345
A	-32	PHE	-	expression tag	UNP P42345
A	-31	GLU	-	expression tag	UNP P42345
A	-30	LYS	-	expression tag	UNP P42345
A	-29	GLY	-	expression tag	UNP P42345
A	-28	GLY	-	expression tag	UNP P42345
A	-27	GLY	-	expression tag	UNP P42345
A	-26	ALA	-	expression tag	UNP P42345
A	-25	ARG	-	expression tag	UNP P42345
A	-24	GLY	-	expression tag	UNP P42345
A	-23	GLY	-	expression tag	UNP P42345
A	-22	SER	-	expression tag	UNP P42345
A	-21	GLY	-	expression tag	UNP P42345
A	-20	GLY	-	expression tag	UNP P42345
A	-19	GLY	-	expression tag	UNP P42345
A	-18	SER	-	expression tag	UNP P42345
A	-17	TRP	-	expression tag	UNP P42345
A	-16	SER	-	expression tag	UNP P42345
A	-15	HIS	-	expression tag	UNP P42345

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-14	PRO	-	expression tag	UNP P42345
A	-13	GLN	-	expression tag	UNP P42345
A	-12	PHE	-	expression tag	UNP P42345
A	-11	GLU	-	expression tag	UNP P42345
A	-10	LYS	-	expression tag	UNP P42345
A	-9	GLY	-	expression tag	UNP P42345
A	-8	GLU	-	expression tag	UNP P42345
A	-7	ASN	-	expression tag	UNP P42345
A	-6	LEU	-	expression tag	UNP P42345
A	-5	TYR	-	expression tag	UNP P42345
A	-4	PHE	-	expression tag	UNP P42345
A	-3	GLN	-	expression tag	UNP P42345
A	-2	GLY	-	expression tag	UNP P42345
A	-1	GLY	-	expression tag	UNP P42345
A	0	THR	-	expression tag	UNP P42345
B	-40	MET	-	initiating methionine	UNP P42345
B	-39	ALA	-	expression tag	UNP P42345
B	-38	SER	-	expression tag	UNP P42345
B	-37	TRP	-	expression tag	UNP P42345
B	-36	SER	-	expression tag	UNP P42345
B	-35	HIS	-	expression tag	UNP P42345
B	-34	PRO	-	expression tag	UNP P42345
B	-33	GLN	-	expression tag	UNP P42345
B	-32	PHE	-	expression tag	UNP P42345
B	-31	GLU	-	expression tag	UNP P42345
B	-30	LYS	-	expression tag	UNP P42345
B	-29	GLY	-	expression tag	UNP P42345
B	-28	GLY	-	expression tag	UNP P42345
B	-27	GLY	-	expression tag	UNP P42345
B	-26	ALA	-	expression tag	UNP P42345
B	-25	ARG	-	expression tag	UNP P42345
B	-24	GLY	-	expression tag	UNP P42345
B	-23	GLY	-	expression tag	UNP P42345
B	-22	SER	-	expression tag	UNP P42345
B	-21	GLY	-	expression tag	UNP P42345
B	-20	GLY	-	expression tag	UNP P42345
B	-19	GLY	-	expression tag	UNP P42345
B	-18	SER	-	expression tag	UNP P42345
B	-17	TRP	-	expression tag	UNP P42345
B	-16	SER	-	expression tag	UNP P42345
B	-15	HIS	-	expression tag	UNP P42345
B	-14	PRO	-	expression tag	UNP P42345

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-13	GLN	-	expression tag	UNP P42345
B	-12	PHE	-	expression tag	UNP P42345
B	-11	GLU	-	expression tag	UNP P42345
B	-10	LYS	-	expression tag	UNP P42345
B	-9	GLY	-	expression tag	UNP P42345
B	-8	GLU	-	expression tag	UNP P42345
B	-7	ASN	-	expression tag	UNP P42345
B	-6	LEU	-	expression tag	UNP P42345
B	-5	TYR	-	expression tag	UNP P42345
B	-4	PHE	-	expression tag	UNP P42345
B	-3	GLN	-	expression tag	UNP P42345
B	-2	GLY	-	expression tag	UNP P42345
B	-1	GLY	-	expression tag	UNP P42345
B	0	THR	-	expression tag	UNP P42345

- Molecule 2 is a protein called Target of rapamycin complex subunit LST8.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C	315	Total	C	N	O	S	0	0
			2443	1518	434	473	18		
2	D	315	Total	C	N	O	S	0	0
			2443	1518	434	473	18		

- Molecule 3 is a protein called Rapamycin-insensitive companion of mTOR.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	E	1119	Total	C	N	O	S	0	0
			8990	5732	1584	1625	49		
3	F	1119	Total	C	N	O	S	0	0
			8990	5732	1584	1625	49		

There are 52 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	-25	MET	-	initiating methionine	UNP Q6R327
E	-24	ALA	-	expression tag	UNP Q6R327
E	-23	ASP	-	expression tag	UNP Q6R327
E	-22	TYR	-	expression tag	UNP Q6R327
E	-21	LYS	-	expression tag	UNP Q6R327
E	-20	ASP	-	expression tag	UNP Q6R327
E	-19	HIS	-	expression tag	UNP Q6R327
E	-18	ASP	-	expression tag	UNP Q6R327

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-17	GLY	-	expression tag	UNP Q6R327
E	-16	ASP	-	expression tag	UNP Q6R327
E	-15	TYR	-	expression tag	UNP Q6R327
E	-14	LYS	-	expression tag	UNP Q6R327
E	-13	ASP	-	expression tag	UNP Q6R327
E	-12	HIS	-	expression tag	UNP Q6R327
E	-11	ASP	-	expression tag	UNP Q6R327
E	-10	ILE	-	expression tag	UNP Q6R327
E	-9	ASP	-	expression tag	UNP Q6R327
E	-8	TYR	-	expression tag	UNP Q6R327
E	-7	LYS	-	expression tag	UNP Q6R327
E	-6	ASP	-	expression tag	UNP Q6R327
E	-5	ASP	-	expression tag	UNP Q6R327
E	-4	ASP	-	expression tag	UNP Q6R327
E	-3	ASP	-	expression tag	UNP Q6R327
E	-2	LYS	-	expression tag	UNP Q6R327
E	-1	GLY	-	expression tag	UNP Q6R327
E	0	THR	-	expression tag	UNP Q6R327
F	-25	MET	-	initiating methionine	UNP Q6R327
F	-24	ALA	-	expression tag	UNP Q6R327
F	-23	ASP	-	expression tag	UNP Q6R327
F	-22	TYR	-	expression tag	UNP Q6R327
F	-21	LYS	-	expression tag	UNP Q6R327
F	-20	ASP	-	expression tag	UNP Q6R327
F	-19	HIS	-	expression tag	UNP Q6R327
F	-18	ASP	-	expression tag	UNP Q6R327
F	-17	GLY	-	expression tag	UNP Q6R327
F	-16	ASP	-	expression tag	UNP Q6R327
F	-15	TYR	-	expression tag	UNP Q6R327
F	-14	LYS	-	expression tag	UNP Q6R327
F	-13	ASP	-	expression tag	UNP Q6R327
F	-12	HIS	-	expression tag	UNP Q6R327
F	-11	ASP	-	expression tag	UNP Q6R327
F	-10	ILE	-	expression tag	UNP Q6R327
F	-9	ASP	-	expression tag	UNP Q6R327
F	-8	TYR	-	expression tag	UNP Q6R327
F	-7	LYS	-	expression tag	UNP Q6R327
F	-6	ASP	-	expression tag	UNP Q6R327
F	-5	ASP	-	expression tag	UNP Q6R327
F	-4	ASP	-	expression tag	UNP Q6R327
F	-3	ASP	-	expression tag	UNP Q6R327
F	-2	LYS	-	expression tag	UNP Q6R327

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	-1	GLY	-	expression tag	UNP Q6R327
F	0	THR	-	expression tag	UNP Q6R327


- Molecule 4 is a protein called Target of rapamycin complex 2 subunit MAPKAP1.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	G	120	Total	C	N	O	P	S	0	0
			978	603	182	188	1	4		
4	H	120	Total	C	N	O	P	S	0	0
			978	603	182	188	1	4		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	1	ACE	-	acetylation	UNP Q9BPZ7
H	1	ACE	-	acetylation	UNP Q9BPZ7


- Molecule 5 is INOSITOL HEXAKISPHOSPHATE (CCD ID: IHP) (formula: $C_6H_{18}O_{24}P_6$).




Mol	Chain	Residues	Atoms				AltConf
5	A	1	Total	C	O	P	0
			36	6	24	6	
5	B	1	Total	C	O	P	0
			36	6	24	6	

- Molecule 6 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
6	E	1	Total 1	Zn 1	0
6	F	1	Total 1	Zn 1	0





● Molecule 1: Serine/threonine-protein kinase mTOR










• Molecule 2: Target of rapamycin complex subunit LST8




• Molecule 2: Target of rapamycin complex subunit LST8



• Molecule 3: Rapamycin-insensitive companion of mTOR





● Molecule 4: Target of rapamycin complex 2 subunit MAPKAP1



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	143361	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2800	Depositor
Magnification	130000	Depositor
Image detector	TFS FALCON 4i (4k x 4k)	Depositor
Maximum map value	0.060	Depositor
Minimum map value	-0.006	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.015	Depositor
Map size (Å)	488.96, 488.96, 488.96	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.955, 0.955, 0.955	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: IHP, SEP, ACE, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	0/14448	0.59	0/19562
1	B	0.35	0/14429	0.53	0/19536
2	C	0.30	0/2501	0.54	0/3408
2	D	0.19	0/2501	0.48	0/3408
3	E	0.53	0/9154	0.56	0/12384
3	F	0.21	0/9154	0.47	0/12384
4	G	0.37	0/977	0.56	0/1307
4	H	0.18	0/977	0.50	0/1307
All	All	0.41	0/54141	0.54	0/73296

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1132	ARG	Sidechain
1	B	1132	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	14145	0	14307	34	0
1	B	14127	0	14289	59	0
2	C	2443	0	2327	15	0
2	D	2443	0	2327	21	0
3	E	8990	0	9187	12	0
3	F	8990	0	9187	49	0
4	G	978	0	991	6	0
4	H	978	0	992	6	0
5	A	36	0	6	0	0
5	B	36	0	6	0	0
6	E	1	0	0	0	0
6	F	1	0	0	0	0
All	All	53168	0	53619	193	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 193 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:34:HIS:HA	4:H:37:ASP:HB2	1.73	0.69
1:B:603:VAL:HG22	1:B:629:LEU:HD13	1.77	0.67
2:D:112:TRP:CH2	4:H:108:TRP:HB2	2.33	0.63
3:F:652:LEU:HD21	3:F:696:HIS:CD2	2.33	0.63
3:E:96:ALA:HA	4:G:81:ARG:HH22	1.63	0.63

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1731/2590 (67%)	1702 (98%)	29 (2%)	0	100	100
1	B	1726/2590 (67%)	1695 (98%)	31 (2%)	0	100	100
2	C	313/326 (96%)	301 (96%)	12 (4%)	0	100	100
2	D	313/326 (96%)	304 (97%)	9 (3%)	0	100	100
3	E	1103/1734 (64%)	1078 (98%)	25 (2%)	0	100	100
3	F	1103/1734 (64%)	1074 (97%)	29 (3%)	0	100	100
4	G	115/522 (22%)	107 (93%)	8 (7%)	0	100	100
4	H	115/522 (22%)	105 (91%)	10 (9%)	0	100	100
All	All	6519/10344 (63%)	6366 (98%)	153 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1549/2248 (69%)	1549 (100%)	0	100	100
1	B	1547/2248 (69%)	1547 (100%)	0	100	100
2	C	267/276 (97%)	267 (100%)	0	100	100
2	D	267/276 (97%)	267 (100%)	0	100	100
3	E	1005/1562 (64%)	1005 (100%)	0	100	100
3	F	1005/1562 (64%)	1005 (100%)	0	100	100
4	G	110/469 (24%)	110 (100%)	0	100	100
4	H	110/469 (24%)	110 (100%)	0	100	100
All	All	5860/9110 (64%)	5860 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 85

such sidechains are listed below:

Mol	Chain	Res	Type
2	D	283	GLN
3	F	480	HIS
3	E	272	GLN
3	E	872	GLN
3	F	657	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SEP	H	69	4	8,9,10	1.51	1 (12%)	8,12,14	1.83	2 (25%)
4	SEP	G	69	4	8,9,10	1.32	1 (12%)	8,12,14	1.05	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SEP	H	69	4	-	1/5/8/10	-
4	SEP	G	69	4	-	1/5/8/10	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	H	69	SEP	P-O1P	3.28	1.61	1.50
4	G	69	SEP	P-O1P	2.83	1.59	1.50

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	69	SEP	P-OG-CB	-4.16	106.83	118.30
4	H	69	SEP	OG-CB-CA	2.66	110.73	108.14

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	G	69	SEP	N-CA-CB-OG
4	H	69	SEP	N-CA-CB-OG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	IHP	A	2601	-	36,36,36	1.82	6 (16%)	54,60,60	0.98	2 (3%)
5	IHP	B	2601	-	36,36,36	1.85	6 (16%)	54,60,60	0.92	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	IHP	A	2601	-	-	2/30/54/54	0/1/1/1
5	IHP	B	2601	-	-	2/30/54/54	0/1/1/1

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	2601	IHP	P2-O12	4.82	1.68	1.59
5	B	2601	IHP	P6-O16	4.43	1.67	1.59
5	A	2601	IHP	P3-O13	4.19	1.67	1.59
5	B	2601	IHP	P3-O13	4.16	1.67	1.59
5	A	2601	IHP	P5-O15	4.11	1.67	1.59

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	2601	IHP	C5-C4-C3	-3.12	103.59	110.41
5	B	2601	IHP	C6-C1-C2	2.80	116.53	110.41
5	B	2601	IHP	C5-C4-C3	-2.75	104.38	110.41
5	A	2601	IHP	C6-C1-C2	2.52	115.94	110.41

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	A	2601	IHP	C1-O11-P1-O21
5	A	2601	IHP	C3-O13-P3-O33
5	B	2601	IHP	C2-O12-P2-O22
5	B	2601	IHP	C2-O12-P2-O42


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-55714. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 240



Y Index: 248



Z Index: 275


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.015. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 249 nm^3 ; this corresponds to an approximate mass of 225 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-55714 and PDB model 9T92. Per-residue inclusion information can be found in [section 3](#) on [page 10](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.015 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.015).

9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 67% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.015) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.6730	<div></div> 0.4860
A	<div></div> 0.7320	<div></div> 0.5240
B	<div></div> 0.6540	<div></div> 0.4640
C	<div></div> 0.5690	<div></div> 0.4520
D	<div></div> 0.5020	<div></div> 0.3900
E	<div></div> 0.7740	<div></div> 0.5520
F	<div></div> 0.6380	<div></div> 0.4480
G	<div></div> 0.4480	<div></div> 0.4340
H	<div></div> 0.3800	<div></div> 0.3640

1.0

0.0

<0.0