



wwPDB EM Validation Summary Report ⓘ

Apr 15, 2026 – 02:11 AM UTC

PDB ID : 9W7K / pdb_00009w7k
EMDB ID : EMD-65729
Title : Cryo-EM structure of CpcL-PBS2
Authors : Mao, Z.Y.; Li, Z.H.; Han, G.Y.
Deposited on : 2025-08-06
Resolution : 2.58 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.


























Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	7675 (2.08 - 3.08)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	191	
2	2	285	
2	3	285	
3	B	162	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	D	162	 85% 15%
3	F	162	 86% 14%
3	H	162	 90% 9% .
3	J	162	 88% 12%
3	L	162	 85% 14% .
3	O	162	 85% 15%
3	Q	162	 87% 13%
3	S	162	 77% 23%
3	U	162	 85% 15%
3	W	162	 84% 16%
3	Y	162	 85% 15%
4	C	172	 91% 8% .
4	E	172	 90% 10%
4	G	172	 90% 9% .
4	I	172	 90% 10% .
4	K	172	 83% 16% .
4	M	172	 83% 16% .
4	P	172	 90% 10%
4	R	172	 72% 21% 7%
4	T	172	 89% 11%
4	V	172	 90% 10%
4	X	172	 92% 8%
4	Z	172	 88% 12% .

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 35862 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosystem I-associated linker protein CpcL.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	191	Total	C	N	O	S	0	0
			1574	998	277	298	1		

- Molecule 2 is a protein called Phycobilisome 32.1 kDa linker polypeptide, phycocyanin-associated, rod.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	2	284	Total	C	N	O	0	0
			2262	1424	406	432		
2	3	65	Total	C	N	O	0	0
			502	314	95	93		

- Molecule 3 is a protein called C-phycocyanin alpha subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	B	161	Total	C	N	O	S	0	0
			1212	759	213	239	1		
3	D	162	Total	C	N	O	S	0	0
			1223	765	217	240	1		
3	F	162	Total	C	N	O	S	0	0
			1223	765	217	240	1		
3	H	162	Total	C	N	O	S	0	0
			1223	765	217	240	1		
3	J	162	Total	C	N	O	S	0	0
			1223	765	217	240	1		
3	L	162	Total	C	N	O	S	0	0
			1223	765	217	240	1		
3	O	162	Total	C	N	O	S	0	0
			1223	765	217	240	1		
3	Q	162	Total	C	N	O	S	0	0
			1223	765	217	240	1		
3	S	162	Total	C	N	O	S	0	0
			1223	765	217	240	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
3	U	162	Total	C	N	O	S	0	0
			1223	765	217	240	1		
3	W	162	Total	C	N	O	S	0	0
			1223	765	217	240	1		
3	Y	162	Total	C	N	O	S	0	0
			1223	765	217	240	1		

- Molecule 4 is a protein called C-phycoerythrin beta subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	C	170	Total	C	N	O	S	0	0
			1264	780	227	251	6		
4	E	172	Total	C	N	O	S	0	0
			1278	788	229	255	6		
4	G	171	Total	C	N	O	S	0	0
			1271	783	228	254	6		
4	I	171	Total	C	N	O	S	0	0
			1274	786	228	254	6		
4	K	172	Total	C	N	O	S	0	0
			1278	788	229	255	6		
4	M	172	Total	C	N	O	S	0	0
			1278	788	229	255	6		
4	P	172	Total	C	N	O	S	0	0
			1278	788	229	255	6		
4	R	172	Total	C	N	O	S	0	0
			1278	788	229	255	6		
4	T	172	Total	C	N	O	S	0	0
			1278	788	229	255	6		
4	V	172	Total	C	N	O	S	0	0
			1278	788	229	255	6		
4	X	172	Total	C	N	O	S	0	0
			1278	788	229	255	6		
4	Z	172	Total	C	N	O	S	0	0
			1278	788	229	255	6		

- Molecule 5 is PHYCOCYANOBILIN (CCD ID: CYC) (formula: $C_{33}H_{40}N_4O_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
5	1	1	Total	C	N	O	0
			43	33	4	6	
5	2	1	Total	C	N	O	0
			43	33	4	6	
5	3	1	Total	C	N	O	0
			43	33	4	6	
5	3	1	Total	C	N	O	0
			43	33	4	6	
5	B	1	Total	C	N	O	0
			43	33	4	6	
5	C	1	Total	C	N	O	0
			43	33	4	6	
5	C	1	Total	C	N	O	0
			43	33	4	6	
5	D	1	Total	C	N	O	0
			43	33	4	6	
5	E	1	Total	C	N	O	0
			43	33	4	6	
5	E	1	Total	C	N	O	0
			43	33	4	6	
5	F	1	Total	C	N	O	0
			43	33	4	6	
5	G	1	Total	C	N	O	0
			43	33	4	6	
5	H	1	Total	C	N	O	0
			43	33	4	6	
5	I	1	Total	C	N	O	0
			43	33	4	6	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
5	I	1	Total 43	C 33	N 4	O 6	0
5	J	1	Total 43	C 33	N 4	O 6	0
5	K	1	Total 43	C 33	N 4	O 6	0
5	K	1	Total 43	C 33	N 4	O 6	0
5	L	1	Total 43	C 33	N 4	O 6	0
5	M	1	Total 43	C 33	N 4	O 6	0
5	M	1	Total 43	C 33	N 4	O 6	0
5	O	1	Total 43	C 33	N 4	O 6	0
5	P	1	Total 43	C 33	N 4	O 6	0
5	P	1	Total 43	C 33	N 4	O 6	0
5	Q	1	Total 43	C 33	N 4	O 6	0
5	R	1	Total 43	C 33	N 4	O 6	0
5	R	1	Total 43	C 33	N 4	O 6	0
5	S	1	Total 43	C 33	N 4	O 6	0
5	T	1	Total 43	C 33	N 4	O 6	0
5	U	1	Total 43	C 33	N 4	O 6	0
5	V	1	Total 43	C 33	N 4	O 6	0
5	V	1	Total 43	C 33	N 4	O 6	0
5	W	1	Total 43	C 33	N 4	O 6	0
5	X	1	Total 43	C 33	N 4	O 6	0
5	Y	1	Total 43	C 33	N 4	O 6	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
5	Z	1	43	33	4	6	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Photosystem I-associated linker protein CpcL




- Molecule 2: Phycobilisome 32.1 kDa linker polypeptide, phycocyanin-associated, rod



- Molecule 2: Phycobilisome 32.1 kDa linker polypeptide, phycocyanin-associated, rod




- Molecule 3: C-phycocyanin alpha subunit

Chain B:  87% 12%





- Molecule 3: C-phycoyanin alpha subunit

Chain D:  85% 15%



- Molecule 3: C-phycoyanin alpha subunit

Chain F:  86% 14%



- Molecule 3: C-phycoyanin alpha subunit

Chain H:  90% 9%





- Molecule 3: C-phycoyanin alpha subunit

Chain J:  88% 12%




- Molecule 3: C-phycoyanin alpha subunit

Chain L:  85% 14%




- Molecule 3: C-phycoyanin alpha subunit

Chain O:  85% 15%





- Molecule 3: C-phycoyanin alpha subunit

Chain Q:  87% 13%




- Molecule 3: C-phycoerythrin alpha subunit

Chain S:  77% 23%




- Molecule 3: C-phycoerythrin alpha subunit

Chain U:  85% 15%





- Molecule 3: C-phycoerythrin alpha subunit

Chain W:  84% 16%



- Molecule 3: C-phycoerythrin alpha subunit

Chain Y:  85% 15%




- Molecule 4: C-phycoerythrin beta subunit

Chain C:  91% 8%




- Molecule 4: C-phycoerythrin beta subunit

Chain E:  90% 10%





- Molecule 4: C-phycoerythrin beta subunit

Chain G:  90% 9%




- Molecule 4: C-phycoerythrin beta subunit

Chain I:  90% 10%




- Molecule 4: C-phycoerythrin beta subunit

Chain K:  83% 16%




- Molecule 4: C-phycoerythrin beta subunit

Chain M:  83% 16%



- Molecule 4: C-phycoerythrin beta subunit

Chain P:  90% 10%




- Molecule 4: C-phycoerythrin beta subunit

Chain R:  72% 21% 7%




- Molecule 4: C-phycoerythrin beta subunit


Chain T:  89% 11%




- Molecule 4: C-phycoerythrin beta subunit



- Molecule 4: C-phycoerythrin beta subunit



- Molecule 4: C-phycoerythrin beta subunit



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	270378	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOCONTINUUM (6k x 4k)	Depositor
Maximum map value	0.992	Depositor
Minimum map value	-0.324	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.021	Depositor
Recommended contour level	0.185	Depositor
Map size (Å)	532.48, 532.48, 532.48	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.04, 1.04, 1.04	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CYC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	1	0.14	0/1609	0.30	0/2180
2	2	0.13	0/2307	0.30	0/3116
2	3	0.91	0/510	1.15	0/686
3	B	0.12	0/1234	0.25	0/1676
3	D	0.11	0/1246	0.22	0/1693
3	F	0.11	0/1246	0.22	0/1693
3	H	0.12	0/1246	0.26	0/1693
3	J	0.11	0/1246	0.21	0/1693
3	L	0.11	0/1246	0.23	0/1693
3	O	0.11	0/1246	0.21	0/1693
3	Q	0.11	0/1246	0.22	0/1693
3	S	0.11	0/1246	0.23	0/1693
3	U	0.11	0/1246	0.23	0/1693
3	W	0.11	0/1246	0.21	0/1693
3	Y	0.12	0/1246	0.26	0/1693
4	C	0.14	0/1274	0.29	0/1723
4	E	0.11	0/1290	0.22	0/1748
4	G	0.10	0/1282	0.21	0/1735
4	I	0.11	0/1286	0.22	0/1743
4	K	0.12	0/1290	0.29	0/1748
4	M	0.13	0/1290	0.30	0/1748
4	P	0.12	0/1290	0.25	0/1748
4	R	0.86	0/1290	1.22	0/1748
4	T	0.11	0/1290	0.21	0/1748
4	V	0.11	0/1290	0.23	0/1748
4	X	0.11	0/1290	0.24	0/1748
4	Z	0.11	0/1290	0.25	0/1748
All	All	0.23	0/34818	0.36	0/47214

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected

by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	3	0	5
4	R	0	8
All	All	0	13

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 13 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	3	235	ARG	Sidechain
2	3	245	ARG	Sidechain
2	3	253	ARG	Sidechain
2	3	254	ARG	Sidechain
2	3	265	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	1574	0	1545	15	0
2	2	2262	0	2231	38	0
2	3	502	0	521	27	0
3	B	1212	0	1184	14	0
3	D	1223	0	1198	15	0
3	F	1223	0	1198	15	0
3	H	1223	0	1198	13	0
3	J	1223	0	1198	13	0
3	L	1223	0	1198	17	0
3	O	1223	0	1198	17	0
3	Q	1223	0	1198	17	0
3	S	1223	0	1198	26	0
3	U	1223	0	1198	20	0
3	W	1223	0	1198	17	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	Y	1223	0	1198	19	0
4	C	1264	0	1266	12	0
4	E	1278	0	1279	13	0
4	G	1271	0	1269	11	0
4	I	1274	0	1276	16	0
4	K	1278	0	1279	24	0
4	M	1278	0	1279	24	0
4	P	1278	0	1279	17	0
4	R	1278	0	1279	35	0
4	T	1278	0	1279	16	0
4	V	1278	0	1279	14	0
4	X	1278	0	1279	10	0
4	Z	1278	0	1279	18	0
5	1	43	0	38	10	0
5	2	43	0	38	4	0
5	3	86	0	76	18	0
5	B	43	0	38	3	0
5	C	86	0	76	14	0
5	D	43	0	38	5	0
5	E	86	0	76	15	0
5	F	43	0	38	8	0
5	G	43	0	38	5	0
5	H	43	0	38	4	0
5	I	86	0	76	13	0
5	J	43	0	38	7	0
5	K	86	0	76	13	0
5	L	43	0	38	4	0
5	M	86	0	76	13	0
5	O	43	0	38	5	0
5	P	86	0	76	17	0
5	Q	43	0	38	7	0
5	R	86	0	76	12	0
5	S	43	0	38	7	0
5	T	43	0	38	5	0
5	U	43	0	38	7	0
5	V	86	0	76	9	0
5	W	43	0	38	6	0
5	X	43	0	38	2	0
5	Y	43	0	38	9	0
5	Z	43	0	38	4	0
All	All	35862	0	35349	556	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 556 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:3:279:LYS:HA	4:Z:112:ASN:HD21	1.12	1.15
5:K:201:CYC:HMD1	5:K:201:CYC:HC	1.30	0.97
4:R:43:ASN:HD21	3:U:153:THR:HG22	1.28	0.96
5:3:302:CYC:HC	5:3:302:CYC:HMD1	1.32	0.92
5:L:201:CYC:HC	5:L:201:CYC:HMD1	1.37	0.90

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	189/191 (99%)	187 (99%)	2 (1%)	0	100	100
2	2	280/285 (98%)	260 (93%)	19 (7%)	1 (0%)	30	49
2	3	63/285 (22%)	52 (82%)	7 (11%)	4 (6%)	1	1
3	B	157/162 (97%)	153 (98%)	4 (2%)	0	100	100
3	D	160/162 (99%)	159 (99%)	1 (1%)	0	100	100
3	F	160/162 (99%)	158 (99%)	2 (1%)	0	100	100
3	H	160/162 (99%)	159 (99%)	1 (1%)	0	100	100
3	J	160/162 (99%)	157 (98%)	3 (2%)	0	100	100
3	L	160/162 (99%)	159 (99%)	1 (1%)	0	100	100
3	O	160/162 (99%)	158 (99%)	2 (1%)	0	100	100
3	Q	160/162 (99%)	160 (100%)	0	0	100	100
3	S	160/162 (99%)	158 (99%)	2 (1%)	0	100	100
3	U	160/162 (99%)	160 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	W	160/162 (99%)	159 (99%)	1 (1%)	0	100	100
3	Y	160/162 (99%)	158 (99%)	2 (1%)	0	100	100
4	C	164/172 (95%)	162 (99%)	2 (1%)	0	100	100
4	E	170/172 (99%)	165 (97%)	5 (3%)	0	100	100
4	G	167/172 (97%)	163 (98%)	4 (2%)	0	100	100
4	I	169/172 (98%)	167 (99%)	2 (1%)	0	100	100
4	K	170/172 (99%)	166 (98%)	4 (2%)	0	100	100
4	M	170/172 (99%)	168 (99%)	2 (1%)	0	100	100
4	P	170/172 (99%)	166 (98%)	4 (2%)	0	100	100
4	R	170/172 (99%)	163 (96%)	7 (4%)	0	100	100
4	T	170/172 (99%)	168 (99%)	2 (1%)	0	100	100
4	V	170/172 (99%)	167 (98%)	3 (2%)	0	100	100
4	X	170/172 (99%)	166 (98%)	4 (2%)	0	100	100
4	Z	170/172 (99%)	167 (98%)	3 (2%)	0	100	100
All	All	4479/4769 (94%)	4385 (98%)	89 (2%)	5 (0%)	49	69

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	3	230	VAL
2	2	22	GLU
2	3	223	LYS
2	3	246	SER
2	3	247	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	169/169 (100%)	168 (99%)	1 (1%)	78	89

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	2	241/242 (100%)	234 (97%)	7 (3%)	37	63
2	3	56/242 (23%)	34 (61%)	22 (39%)	0	0
3	B	121/122 (99%)	120 (99%)	1 (1%)	73	87
3	D	122/122 (100%)	122 (100%)	0	100	100
3	F	122/122 (100%)	121 (99%)	1 (1%)	73	87
3	H	122/122 (100%)	121 (99%)	1 (1%)	73	87
3	J	122/122 (100%)	122 (100%)	0	100	100
3	L	122/122 (100%)	120 (98%)	2 (2%)	55	77
3	O	122/122 (100%)	122 (100%)	0	100	100
3	Q	122/122 (100%)	122 (100%)	0	100	100
3	S	122/122 (100%)	121 (99%)	1 (1%)	73	87
3	U	122/122 (100%)	121 (99%)	1 (1%)	73	87
3	W	122/122 (100%)	121 (99%)	1 (1%)	73	87
3	Y	122/122 (100%)	122 (100%)	0	100	100
4	C	133/134 (99%)	132 (99%)	1 (1%)	73	87
4	E	134/134 (100%)	131 (98%)	3 (2%)	45	70
4	G	133/134 (99%)	130 (98%)	3 (2%)	44	69
4	I	134/134 (100%)	134 (100%)	0	100	100
4	K	134/134 (100%)	133 (99%)	1 (1%)	76	88
4	M	134/134 (100%)	131 (98%)	3 (2%)	45	70
4	P	134/134 (100%)	132 (98%)	2 (2%)	57	78
4	R	134/134 (100%)	116 (87%)	18 (13%)	4	7
4	T	134/134 (100%)	132 (98%)	2 (2%)	57	78
4	V	134/134 (100%)	134 (100%)	0	100	100
4	X	134/134 (100%)	133 (99%)	1 (1%)	76	88
4	Z	134/134 (100%)	133 (99%)	1 (1%)	76	88
All	All	3535/3725 (95%)	3462 (98%)	73 (2%)	46	71

5 of 73 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	R	70	PRO
4	X	26	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	R	105	VAL
4	R	160	GLU
2	3	265	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 29 such sidechains are listed below:

Mol	Chain	Res	Type
4	P	112	ASN
4	Z	30	ASN
4	R	43	ASN
3	W	62	GLN
3	Q	140	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

36 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	CYC	G	201	-	46,46,46	0.89	2 (4%)	63,67,67	1.21	5 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	CYC	3	302	-	46,46,46	0.84	1 (2%)	63,67,67	1.17	4 (6%)
5	CYC	K	201	-	46,46,46	0.88	2 (4%)	63,67,67	1.19	4 (6%)
5	CYC	M	201	-	46,46,46	0.85	1 (2%)	63,67,67	1.33	5 (7%)
5	CYC	E	201	-	46,46,46	0.83	1 (2%)	63,67,67	1.30	5 (7%)
5	CYC	F	201	-	46,46,46	0.83	1 (2%)	63,67,67	1.31	5 (7%)
5	CYC	B	201	-	46,46,46	0.83	1 (2%)	63,67,67	1.32	5 (7%)
5	CYC	C	201	-	46,46,46	0.81	1 (2%)	63,67,67	1.01	4 (6%)
5	CYC	P	202	-	46,46,46	0.84	1 (2%)	63,67,67	1.21	4 (6%)
5	CYC	V	202	-	46,46,46	0.86	1 (2%)	63,67,67	1.14	4 (6%)
5	CYC	P	201	-	46,46,46	0.83	1 (2%)	63,67,67	1.21	4 (6%)
5	CYC	R	202	-	46,46,46	0.81	0	63,67,67	1.01	3 (4%)
5	CYC	I	202	-	46,46,46	0.83	1 (2%)	63,67,67	1.19	5 (7%)
5	CYC	D	201	-	46,46,46	0.86	2 (4%)	63,67,67	1.25	4 (6%)
5	CYC	2	301	-	46,46,46	0.86	1 (2%)	63,67,67	1.15	4 (6%)
5	CYC	K	202	-	46,46,46	0.84	1 (2%)	63,67,67	1.26	3 (4%)
5	CYC	M	202	-	46,46,46	0.84	1 (2%)	63,67,67	1.24	4 (6%)
5	CYC	C	202	-	46,46,46	0.88	2 (4%)	63,67,67	1.24	5 (7%)
5	CYC	J	201	-	46,46,46	0.85	1 (2%)	63,67,67	1.24	4 (6%)
5	CYC	Y	201	-	46,46,46	0.83	1 (2%)	63,67,67	1.33	4 (6%)
5	CYC	T	201	-	46,46,46	0.91	2 (4%)	63,67,67	1.26	5 (7%)
5	CYC	3	301	-	46,46,46	0.84	1 (2%)	63,67,67	1.26	5 (7%)
5	CYC	R	201	-	46,46,46	0.88	2 (4%)	63,67,67	1.17	4 (6%)
5	CYC	V	201	-	46,46,46	0.84	1 (2%)	63,67,67	1.16	4 (6%)
5	CYC	L	201	-	46,46,46	0.86	1 (2%)	63,67,67	1.29	4 (6%)
5	CYC	S	201	-	46,46,46	0.82	1 (2%)	63,67,67	1.28	4 (6%)
5	CYC	U	201	-	46,46,46	0.83	1 (2%)	63,67,67	1.30	5 (7%)
5	CYC	I	201	-	46,46,46	0.85	1 (2%)	63,67,67	1.21	4 (6%)
5	CYC	1	201	-	46,46,46	0.85	1 (2%)	63,67,67	1.24	5 (7%)
5	CYC	H	201	-	46,46,46	0.85	1 (2%)	63,67,67	1.26	4 (6%)
5	CYC	W	201	-	46,46,46	0.84	1 (2%)	63,67,67	1.28	4 (6%)
5	CYC	X	201	-	46,46,46	0.83	1 (2%)	63,67,67	1.16	4 (6%)
5	CYC	E	202	-	46,46,46	0.84	1 (2%)	63,67,67	1.19	4 (6%)
5	CYC	Z	201	-	46,46,46	0.84	1 (2%)	63,67,67	1.14	4 (6%)
5	CYC	O	201	-	46,46,46	0.85	1 (2%)	63,67,67	1.28	4 (6%)
5	CYC	Q	201	-	46,46,46	0.85	1 (2%)	63,67,67	1.23	4 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	CYC	G	201	-	-	11/26/74/74	0/4/4/4
5	CYC	3	302	-	-	11/26/74/74	0/4/4/4
5	CYC	K	201	-	-	11/26/74/74	0/4/4/4
5	CYC	M	201	-	-	10/26/74/74	0/4/4/4
5	CYC	E	201	-	-	10/26/74/74	0/4/4/4
5	CYC	F	201	-	-	9/26/74/74	0/4/4/4
5	CYC	B	201	-	-	8/26/74/74	0/4/4/4
5	CYC	C	201	-	-	11/26/74/74	0/4/4/4
5	CYC	P	202	-	-	10/26/74/74	0/4/4/4
5	CYC	V	202	-	-	10/26/74/74	0/4/4/4
5	CYC	P	201	-	-	9/26/74/74	0/4/4/4
5	CYC	R	202	-	-	15/26/74/74	0/4/4/4
5	CYC	I	202	-	-	10/26/74/74	0/4/4/4
5	CYC	D	201	-	-	8/26/74/74	0/4/4/4
5	CYC	2	301	-	-	11/26/74/74	0/4/4/4
5	CYC	K	202	-	-	12/26/74/74	0/4/4/4
5	CYC	M	202	-	-	8/26/74/74	0/4/4/4
5	CYC	C	202	-	-	12/26/74/74	0/4/4/4
5	CYC	J	201	-	-	8/26/74/74	0/4/4/4
5	CYC	Y	201	-	-	9/26/74/74	0/4/4/4
5	CYC	T	201	-	-	10/26/74/74	0/4/4/4
5	CYC	3	301	-	-	10/26/74/74	0/4/4/4
5	CYC	R	201	-	-	13/26/74/74	0/4/4/4
5	CYC	V	201	-	-	12/26/74/74	0/4/4/4
5	CYC	L	201	-	-	9/26/74/74	0/4/4/4
5	CYC	S	201	-	-	9/26/74/74	0/4/4/4
5	CYC	U	201	-	-	9/26/74/74	0/4/4/4
5	CYC	I	201	-	-	7/26/74/74	0/4/4/4
5	CYC	1	201	-	-	8/26/74/74	0/4/4/4
5	CYC	H	201	-	-	8/26/74/74	0/4/4/4
5	CYC	W	201	-	-	8/26/74/74	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	CYC	X	201	-	-	12/26/74/74	0/4/4/4
5	CYC	E	202	-	-	10/26/74/74	0/4/4/4
5	CYC	Z	201	-	-	12/26/74/74	0/4/4/4
5	CYC	O	201	-	-	9/26/74/74	0/4/4/4
5	CYC	Q	201	-	-	8/26/74/74	0/4/4/4

The worst 5 of 41 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	T	201	CYC	CHD-C4C	2.92	1.41	1.36
5	G	201	CYC	CHD-C4C	2.79	1.41	1.36
5	C	202	CYC	CHD-C4C	2.79	1.41	1.36
5	R	201	CYC	CHD-C4C	2.70	1.41	1.36
5	K	201	CYC	CHD-C4C	2.66	1.40	1.36

The worst 5 of 153 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	H	201	CYC	C1D-CHD-C4C	6.14	138.25	127.76
5	K	202	CYC	C1D-CHD-C4C	6.04	138.08	127.76
5	D	201	CYC	C1D-CHD-C4C	6.03	138.05	127.76
5	B	201	CYC	C1D-CHD-C4C	6.01	138.03	127.76
5	J	201	CYC	C1D-CHD-C4C	5.93	137.88	127.76

There are no chirality outliers.

5 of 357 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	201	CYC	C2D-C1D-CHD-C4C
5	C	201	CYC	NA-C4A-CHB-C1B
5	C	201	CYC	C3A-C4A-CHB-C1B
5	D	201	CYC	ND-C1D-CHD-C4C
5	D	201	CYC	C2D-C1D-CHD-C4C

There are no ring outliers.

36 monomers are involved in 226 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	G	201	CYC	5	0
5	3	302	CYC	10	0


Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	K	201	CYC	7	0
5	M	201	CYC	8	0
5	E	201	CYC	9	0
5	F	201	CYC	8	0
5	B	201	CYC	3	0
5	C	201	CYC	6	0
5	P	202	CYC	8	0
5	V	202	CYC	4	0
5	P	201	CYC	9	0
5	R	202	CYC	4	0
5	I	202	CYC	5	0
5	D	201	CYC	5	0
5	2	301	CYC	4	0
5	K	202	CYC	6	0
5	M	202	CYC	5	0
5	C	202	CYC	8	0
5	J	201	CYC	7	0
5	Y	201	CYC	9	0
5	T	201	CYC	5	0
5	3	301	CYC	8	0
5	R	201	CYC	8	0
5	V	201	CYC	5	0
5	L	201	CYC	4	0
5	S	201	CYC	7	0
5	U	201	CYC	7	0
5	I	201	CYC	8	0
5	1	201	CYC	10	0
5	H	201	CYC	4	0
5	W	201	CYC	6	0
5	X	201	CYC	2	0
5	E	202	CYC	6	0
5	Z	201	CYC	4	0
5	O	201	CYC	5	0
5	Q	201	CYC	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the


average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand CYC 3 302







Ligand CYC K 201



































Ligand CYC 3 301




Ligand CYC R 201










Ligand CYC S 201







Ligand CYC U 201














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-65729. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 252




Y Index: 255




Z Index: 278


6.3.2 Raw map



X Index: 252



Y Index: 260




Z Index: 278


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.185. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 241 nm³; this corresponds to an approximate mass of 218 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.388 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.388 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.58	-	-
Author-provided FSC curve	2.58	2.95	2.62
Unmasked-calculated*	3.38	5.82	3.46

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.38 differs from the reported value 2.58 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-65729 and PDB model 9W7K. Per-residue inclusion information can be found in [section 3](#) on [page 9](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.185 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.185).

























































9.4 Atom inclusion [i](#)



At the recommended contour level, 98% of all backbone atoms, 93% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.185) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9290	 0.5740
1	 0.8980	 0.5850
2	 0.9030	 0.5770
3	 0.7350	 0.4970
B	 0.9440	 0.5820
C	 0.9310	 0.5790
D	 0.9560	 0.5890
E	 0.9290	 0.5790
F	 0.9650	 0.5950
G	 0.9400	 0.5870
H	 0.9530	 0.5890
I	 0.9290	 0.5820
J	 0.9510	 0.5840
K	 0.9130	 0.5640
L	 0.9560	 0.5890
M	 0.9330	 0.5810
O	 0.9540	 0.5840
P	 0.9200	 0.5690
Q	 0.9330	 0.5610
R	 0.9340	 0.5970
S	 0.9430	 0.5760
T	 0.9260	 0.5800
U	 0.9200	 0.5490
V	 0.8950	 0.5230
W	 0.9340	 0.5570
X	 0.9360	 0.5710
Y	 0.9500	 0.5740
Z	 0.9220	 0.5580

